Print date: 05.09.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

UFI: AFG4-40PQ-R00Q-3HUY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Carc. 1B; H350 Muta. 1B; H340 Acute Tox. 3; H311 Acute Tox. 3; H301 Acute Tox. 4; H332 Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT RE 2; H373

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 2 of 15

Hazard components for labelling

sulphuric acid mercury sulphate potassium dichromate

Signal word: Danger

Pictograms:







Hazard statements

H290 May be corrosive to metals.

H301+H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Special labelling of certain mixtures

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 3 of 15

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) N	0 1272/2008)			
7664-93-9	sulphuric acid			15 - < 20 %	
	231-639-5	016-020-00-8	01-2119458838-20		
	Met. Corr. 1, Skin Corr. 1A, Eye [Dam. 1; H290 H314 H318			
7783-35-9	mercury sulphate				
	231-992-5	080-002-00-6			
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410				
7778-50-9	potassium dichromate			< 1 %	
	231-906-6	024-002-00-6	01-2119454792-32		
	Ox. Sol. 2, Carc. 1B, Muta. 1B, Repr. 1B, Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H350 H340 H360FD H330 H301 H312 H314 H318 H334 H317 H372 H400 H410				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	15 - < 20 %
	oral: LD50 = 2 Irrit. 2; H319: >	140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye = 5 - < 15	
7783-35-9	231-992-5	mercury sulphate	0.1 - < 5 %
		E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: g/kg; oral: LD50 = 57 mg/kg STOT RE 2; H373: >= 0,1 - 100	
7778-50-9	231-906-6	potassium dichromate	< 1 %
		E = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: mg/kg; oral: LD50 = 129,5 mg/kg STOT SE 3; H335: >= 5 - 100	

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: potassium dichromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: potassium dichromate

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 4 of 15

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant, Vomiting, Cardiac arrhythmias

Gastrointestinal complaints, Abdominal pain

Blood pressure drop, Circulatory collapse

For Hg compounds applies: they act in a cytotoxic and protoplasmatoxic. Symptoms of poisoning: Eye contact leads to severe lesions. Ingestion and inhalation of dusts (acute): Diarrhea metallic taste, nausea, vomiting, abdominal pain, bloody diarrhea, intestinal burns, glottal edema, aspiration pneumonia, reduction in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure (chronic): Mouth inflammation with loss of teeth and mercurial line. Speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinaemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g. Antidotes: chelating agents such as EDTA, DMPS (Demaval).

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

mercury and its compounds

Metal oxide smoke, toxic

Sulphur oxides

5.3. Advice for firefighters

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 5 of 15

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

Do not breathe vapour/aerosol.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

Read label before use.

Handle and open container with care.

Do not breathe vapour/aerosol.

When using do not eat, drink, smoke, sniff.



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 6 of 15

Keep container tightly closed.

Use personal protection equipment.

Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

Unsuitable container/equipment material: Metal

Hints on joint storage

national regulations

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7664-93-9	sulphuric acid			
Worker DNEL, long-term		inhalation	local	0,05 mg/m³
Worker DNEL, acute		inhalation	local	0,1 mg/m³



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 7 of 15

PNEC values

· ···		
CAS No	Substance	
Environmen	tal compartment	Value
7664-93-9	sulphuric acid	
Freshwater		0,003 mg/l
Marine wate	г	0 mg/l
Freshwater	sediment	0,002 mg/kg
Marine sedir	ment	0,002 mg/kg
Micro-organisms in sewage treatment plants (STP)		8,8 mg/l
7778-50-9	potassium dichromate	
Freshwater		0 mg/l
Freshwater	(intermittent releases)	0 mg/l
Freshwater	sediment	0,15 mg/kg
Marine sediment		0,15 mg/kg
Secondary poisoning		17000000 mg/kg
Micro-organisms in sewage treatment plants (STP) 0,21		0,21 mg/l
Soil		0,035 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye protection/face protection.

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Print date: 05.09.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 8 of 15

Skin protection

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: orange
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range: Flammability:

No data available Lower explosion limits: No data available Upper explosion limits: not applicable Flash point: No data available Auto-ignition temperature: Decomposition temperature: No data available 0.6 pH-Value: No data available Viscosity / kinematic: No data available Water solubility:

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

No data available

No data available

No data available

1,1275 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 9 of 15

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

Further Information

Corrosive to metals.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

Oxidising agent

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Alkali (lye)

Ammonia (NH3)

Metal

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated:

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 10 of 15

Acute toxicity

Toxic in contact with skin.

Toxic if swallowed.

Harmful if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Resorption (oral)

Resorption (by inhalation)

Resorption (dermal)

The substance has delayed effects.

ATEmix calculated

ATE (oral) 281,7 mg/kg; ATE (dermal) 282,5 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 2,632 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
7664-93-9	sulphuric acid					•	
	oral	LD50 mg/kg	2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser	
7783-35-9	mercury sulphate						
	oral	LD50	57 mg/kg	Rat	Dictionary of Environmentally Important	other: as mentioned below	
	dermal	LD50 mg/kg	625	Rat	HSDB (Hazardous Substances Data Bank); U	other: as mentioned below	
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				
7778-50-9	potassium dichromate						
	oral	LD50 mg/kg	129,5	Rat	Study report (1983)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1983)	OECD Guideline 402	
	inhalation vapour	ATE	0,5 mg/l				
	inhalation dust/mist	ATE	0,05 mg/l				

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage. Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains potassium dichromate. May produce an allergic reaction.

May cause sensitisation especially in sensitive humans.

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. (potassium dichromate)

May cause genetic defects. (potassium dichromate)

Reproductive toxicity: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 11 of 15

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (mercury sulphate)

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

Irritant, Vomiting, Cardiac arrhythmias

Gastrointestinal complaints, Abdominal pain

Blood pressure drop, Circulatory collapse, Methaemoglobinaemia

For Hg compounds applies: they act in a cytotoxic and protoplasmatoxic. Symptoms of poisoning: Eye contact leads to severe lesions. Ingestion and inhalation of dusts (acute): Diarrhea metallic taste, nausea, vomiting, abdominal pain, bloody diarrhea, intestinal burns, glottal edema, aspiration pneumonia, reduction in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure (chronic): Mouth inflammation with loss of teeth and mercurial line. Speech, vision, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinaemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g. Antidotes: chelating agents such as EDTA, DMPS (Demaval).

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Print date: 05.09.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 12 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7664-93-9	sulphuric acid						
	Acute algae toxicity	ErC50 mg/l	> 100		Desmodesmus subspicatus	, ,	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h		,	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,025	65 d		Vol. 11, 612 - 626,	Groups of sexually mature flagfish

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7783-35-9	mercury sulphate	-0,07

BCF

	Chemical name	BCF	Species	Source
7783-35-9	mercury sulphate	> 0 - < 5000	Ceriodaphnia dubia	Environmental Pollut

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 13 of 15

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid, mercury

sulphate)

6.1 14.3. Transport hazard class(es): П 14.4. Packing group: 6.1+8 Hazard label: TC3 Classification code: **Special Provisions:** 274 100 mL Limited quantity: Excepted quantity: F4 2 Transport category: 68 Hazard No: Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid, mercury

sulphate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+8Classification code:TC3Special Provisions:274 802Limited quantity:100 mLExcepted quantity:E4

Marine transport (IMDG)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid, mercury

sulphate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+8Special Provisions:274Limited quantity:100 mLExcepted quantity:E4EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3289

14.2. UN proper shipping name: TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. (sulphuric acid, mercury

sulphate)

14.3. Transport hazard class(es):6.114.4. Packing group:IIHazard label:6.1+8Special Provisions:A4 A137Limited quantity Passenger:0.5 LPassenger LQ:Y640Excepted quantity:E4

IATA-packing instructions - Passenger: 653



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 14 of 15

IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 660
IATA-max. quantity - Cargo: 30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

potassium dichromate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 18, Entry 29, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Additional information

SVHC substance.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 1: Acute toxicity, hazard category 1

Skin Corr. 1A: Skin corrosion, sub-category 1A

Eye Dam. 1: Serious eye damage, hazard category 1

Resp. Sens. 1: Respiratory sensitisation, hazard category 1

Skin Sens. 1: Skin sensitisation, hazard category 1

Muta. 1B: Germ cell mutagenicity, hazard category 1B

Carc. 1B: Carcinogenicity, hazard category 1B

Repr. 1B: Reproductive toxicity, hazard category 1B

STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1



according to Regulation (EC) No 1907/2006

Potassium dichromate 0.005 mol/l containing mercury sulphate in sulfuric acid 100 ml/l according...

Revision: 20.03.2025 Product code: 01624 Page 15 of 15

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1B; H350	Calculation method
Muta. 1B; H340	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H301	Calculation method
Acute Tox. 4; H332	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.

H300 Fatal if swallowed. H301 Toxic if swallowed.

H301+H311 Toxic if swallowed or in contact with skin.

H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

Gauses serious eye dama

H330 Fatal if inhaled. H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains potassium dichromate. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)