

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Potassium chromate solution 10 % for analysis in water

UFI: KN9C-70N9-7004-CACP

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Carc. 1B; H350i

Muta. 1B; H340

Skin Irrit. 2; H315

Eye Irrit. 2; H319

Skin Sens. 1; H317

Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

potassium chromate

**Signal word:** Danger

according to Regulation (EC) No 1907/2006

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 2 of 12

**Pictograms:****Hazard statements**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H411	Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P201	Obtain special instructions before use.
P260	Do not breathe mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

**Special labelling of certain mixtures**

Restricted to professional users.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7789-00-6	potassium chromate			10 - < 15 %
	232-140-5	024-006-00-8	01-2119543478-30	
	Carc. 1B, Muta. 1B, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H350i H340 H315 H319 H317 H335 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7789-00-6	232-140-5	potassium chromate	10 - < 15 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 129,5 mg/kg Skin Sens. 1; H317: >= 0,5 - 100 Aquatic Acute 1; H400: M=10		

**Further Information**

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: potassium chromate

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH: potassium chromate

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 3 of 12

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

corrosive

Irritant

Cough

Dyspnoea

Allergic reactions

Risk of serious damage to eyes.

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinaemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g. Antidotes: chelating agents such as EDTA, DMPS (Demaval).

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 4 of 12

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated: Metal oxide smoke, toxic

**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Take up carefully when dry. Take up dust-free and set down dust-free.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 5 of 12

**7.1. Precautions for safe handling****Advice on safe handling**

Avoid exposure - obtain special instructions before use.  
Read label before use. Handle and open container with care.  
Do not breathe vapour/aerosol.  
When using do not eat, drink, smoke, sniff. Keep container tightly closed.  
Use personal protection equipment. Use extractor hood (laboratory).  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities  
Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.  
Store in a place accessible by authorized persons only.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Store in a dry place.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****PNEC values**

CAS No	Substance	
	Environmental compartment	Value
7789-00-6	potassium chromate	
	Freshwater	0 mg/l
	Freshwater sediment	0,15 mg/kg
	Secondary poisoning	17000000 mg/kg
	Micro-organisms in sewage treatment plants (STP)	0,21 mg/l
	Soil	0,035 mg/kg

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 6 of 12

Do not breathe vapour/aerosol.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

Wear eye protection/face protection.

**Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L

Thickness of the glove material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	yellow	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 7 of 12

Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value (at 20 °C):	10,1
Viscosity / kinematic:	No data available
Water solubility:	No data available
Solubility in other solvents	No data available
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Density:	1,0821 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

**Other safety characteristics**

Evaporation rate:

No data available

Solvent separation test:

No data available

Solvent content:

0

Solid content:

0

Sublimation point:

No data available

Softening point:

No data available

Pour point:

No data available

No data available:

Viscosity / dynamic:

No data available

Flow time:

No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Combustible substance

Reducing agent

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 8 of 12

Hydrazine

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

Avoid exposure - obtain special instructions before use.

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7789-00-6	potassium chromate				
	oral	LD50 mg/kg	129,5	Rat	Study report (1983) OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1983) OECD Guideline 402

**Irritation and corrosivity**

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

**Sensitising effects**

May cause an allergic skin reaction. (potassium chromate)

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (potassium chromate)

May cause genetic defects. (potassium chromate)

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 9 of 12

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

There are no data available on the mixture itself.

**Further information**

corrosive

Irritant

Cough

Dyspnoea

Allergic reactions

Risk of serious damage to eyes.

Gastrointestinal complaints

Pneumonia

Spasms

Circulatory collapse

Unconsciousness

Methaemoglobin formation

Liver and kidney damage

Vomiting

For chromium(VI), it is stated that chromium(VI) is highly toxic. It is absorbed through both the lungs and the gastrointestinal tract. Chromates/dichromates can act as strong oxidising agents, causing burns and ulcers on skin and mucous membranes as well as irritative symptoms in the upper respiratory tract. After the substance enters wounds, poorly healing ulcers appear. In sensitive individuals, the substance can easily lead to sensitisation and allergic reactions in the respiratory tract (risk of pneumonia!) and damage to the nasal mucosa (possibly septum perforation). After ingestion of the substance: severe discomfort in the gastrointestinal tract such as bloody diarrhoea, vomiting (aspiration pneumonia!), cramps, circulatory failure, loss of consciousness. Methaemoglobinaemia. After absorption, it can lead to liver and kidney damage. Chromium(VI) compounds in inhalable form have been clearly shown to be carcinogenic in animal studies. Lethal dose (human): 0.5 g. Antidotes: chelating agents such as EDTA, DMPS (Demaval).

**SECTION 12: Ecological information****12.1. Toxicity**

Toxic to aquatic life with long lasting effects.

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 10 of 12

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Do not mix with other wastes.

**Contaminated packaging**

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 3082
--------------------------------------	---------

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Potassium chromate solution 10 % for analysis in water

Revision: 09.10.2024

Product code: 04084

Page 11 of 12

<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Special Provisions:	274, 335, 969
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-F

#### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	UN 3082
<b>14.2. UN proper shipping name:</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium chromate)
<b>14.3. Transport hazard class(es):</b>	9
<b>14.4. Packing group:</b>	III
Hazard label:	9
Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	potassium chromate

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Authorisations (REACH, annex XIV):  
potassium chromate

Restrictions on use (REACH, annex XVII):  
Entry 3, Entry 28, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

##### Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: potassium chromate

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D): 3 - highly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

**Potassium chromate solution 10 % for analysis in water**

Revision: 09.10.2024

Product code: 04084

Page 12 of 12

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,9,12.

**Abbreviations and acronyms**

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Irrit. 2: Eye irritation, hazard category 2

Skin Sens. 1: Skin sensitisation, hazard category 1

Muta. 1B: Germ cell mutagenicity, hazard category 1B

Carc. 1B: Carcinogenicity, hazard category 1B

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Carc. 1B; H350i	Calculation method
Muta. 1B; H340	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H and EUH statements (number and full text)**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350i	May cause cancer by inhalation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*