

according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3 : 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Carc. 2; H351 Muta. 2; H341 Repr. 2; H361d Acute Tox. 3; H331 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H336

STOT RE 1; H372

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

acetic acid trichloromethane

Signal word: Danger



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 2 of 14

Pictograms:







Hazard statements

H331 Toxic if inhaled.
H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child. H336 May cause drowsiness or dizziness.

H372 Causes damage to organs (kidneys, liver) through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

Special labelling of certain mixtures

For use in industrial installations only.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulatio	n (EC) No 1272/2008)			
64-19-7	acetic acid				
	200-580-7	607-002-00-6	01-2119475328-30		
	Flam. Liq. 3, Skin Corr.	Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318			
67-66-3	trichloromethane				
	200-663-8	602-006-00-4	01-2119486657-20		
	Carc. 2, Muta. 2, Repr. 2, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1; H351 H341 H361d H331 H302 H315 H319 H336 H372				

Full text of H and EUH statements: see section 16.



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 3 of 14

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
64-19-7	200-580-7	acetic acid	50 - < 55 %
		10 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 15: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	
67-66-3	200-663-8	trichloromethane	45 - < 50 %
	inhalation: ATE mg/kg	= 3 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); oral: LD50 = 908	

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection!

Call a physician immediately.

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

corrosive

Irritant

Cough

Dyspnoea

Respiratory complaints

Dizziness

Anaesthetic state

Agitation

Spasms

Inebriation

Gastrointestinal complaints

Vomitina

Headache

Has degreasing effect on the skin.

Circulatory collapse



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3 : 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 4 of 14

Cardiac arrhythmias

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated:

Hydrogen chloride (HCI)

Phosgene

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 5 of 14

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid exposure - obtain special instructions before use.

Use extractor hood (laboratory).

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

In case of warming: Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

Hints on joint storage

national regulations

Further information on storage conditions

Keep cool. Protect from sunlight.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	
67-66-3	Chloroform	2	9.8		TWA (8 h)	



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3 : 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 6 of 14

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
64-19-7	acetic acid				
Worker DNEL,	long-term	inhalation	local	25 mg/m³	
Worker DNEL,	acute	inhalation	local	25 mg/m³	
Consumer DN	EL, long-term	inhalation	local	25 mg/m³	
Consumer DN	EL, acute	inhalation	local	25 mg/m³	
67-66-3	trichloromethane				
Worker DNEL, long-term		dermal	systemic	0,94 mg/kg bw/day	
Consumer DNEL, long-term		inhalation	systemic	0,18 mg/m³	
Worker DNEL, long-term		inhalation	systemic	2,5 mg/m³	
Worker DNEL, acute		inhalation	systemic	333 mg/m³	
Worker DNEL, long-term		inhalation	local	2,5 mg/m³	

PNEC values

CAS No	No Substance			
Environment	Environmental compartment			
64-19-7	acetic acid			
Freshwater		3,058 mg/l		
Freshwater (intermittent releases)	30,58 mg/l		
Marine water		0,306 mg/l		
Freshwater s	ediment	11,36 mg/kg		
Marine sedin	nent	1,136 mg/kg		
Micro-organisms in sewage treatment plants (STP) 85 mg/l				
Soil	0,47 mg/kg			
67-66-3	67-66-3 trichloromethane			
Freshwater		0,146 mg/l		
Freshwater (intermittent releases)	0,133 mg/l		
Marine water	Marine water			
Freshwater sediment 0,4				
Marine sediment 0,09 m				
Micro-organisms in sewage treatment plants (STP) 0,048 mg/l				
Soil	Soil 0,56 mg/kg			

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3 : 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 7 of 14

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact: No data available

By short-term hand contact

Trade name/designation: KCL 890 Vitoject®

Recommended material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 100 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available
Upper explosion limits:

No data available
Flash point:

No data available
Auto-ignition temperature:

No data available
Decomposition temperature:

No data available



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 8 of 14

pH-Value:

Viscosity / kinematic:

No data available

No data available

Water solubility:

No data available

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

1,2133 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Flow time: No data available

Further InformationNo data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Protect against:

Heat

10.3. Possibility of hazardous reactions

Ammonia (NH3), Amines, Nitrogen oxides (NOx), Alkali (Iye), Fluorine, Alkali metals Alkaline earth metal, metals, Powdered metals, Methanol, Light metal, Ketone, Oxidising agent, strong

10.4. Conditions to avoid

Protect against:

Heat

10.5. Incompatible materials

Rubber articles plastics



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3 : 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 9 of 14

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

Acute toxicity

Toxic if inhaled.

Harmful if swallowed.

Resorption (oral)

Resorption (by inhalation)

Resorption (dermal)

ATEmix calculated

ATE (oral) 1896 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 6,260 mg/l; ATE (inhalation dust/mist) 1,044 mg/l

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
64-19-7	acetic acid					
	oral	LD50 mg/kg	3310	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin
67-66-3	trichloromethane	trichloromethane				
	oral	LD50 mg/kg	908	Rat	Toxicology and Applied Pharmacology 52,	OECD Guideline 401
	inhalation vapour	ATE	3 mg/l			
	inhalation dust/mist	ATE	0,5 mg/l			

Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (trichloromethane)

Suspected of causing genetic defects. (trichloromethane)

Suspected of damaging the unborn child. (trichloromethane)

STOT-single exposure

May cause drowsiness or dizziness. (trichloromethane)

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (trichloromethane)

Aspiration hazard

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs. (Pulmonary oedema Pneumonia)



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 10 of 14

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Other information

There are no data available on the mixture itself.

Further information

corrosive

Irritant

Cough

Dyspnoea

Respiratory complaints

Dizziness

Anaesthetic state

Agitation

Spasms

Inebriation

Gastrointestinal complaints

Vomiting

Headache

Has degreasing effect on the skin.

Circulatory collapse

Cardiac arrhythmias

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 11 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64-19-7	acetic acid							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202	
67-66-3	trichloromethane							
	Acute fish toxicity	LC50 171 mg/l	103 -		Pimephales promelas	Bulletin of Environmental Contamination	Method after: Procedures recommended by	
	Acute algae toxicity	ErC50 mg/l	13,3	72 h	Chlamydomonas reinhardtii	Environmental Science and Pollution Rese	A modified cell multiplication inhibitio	
	Acute crustacea toxicity	EC50 mg/l	152,5	48 h	other aquatic mollusc: Crassostrea gigas	Study report (2002)	other: ASTM Method E724-94	
	Crustacea toxicity	NOEC	13 mg/l	21 d	Daphnia magna	Water Research 23(4), 501-510 (1989)	other: Recommendatio n of the	
	Acute bacteria toxicity	EC50	840 mg/l		activated sludge of a predominantly domestic sewag	Toxicity Assessment: An International Jo	OECD Guideline 209	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17
67-66-3	trichloromethane	1,97

BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch
67-66-3	trichloromethane	690	Selenastrum capricornutum	Environmental Scienc

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 12 of 14

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 2922

CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane) 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Ш 14.4. Packing group: 8+6.1 Hazard label: CT1 Classification code: **Special Provisions:** 274 1 L Limited quantity: E2 Excepted quantity: Transport category: 2 86 Hazard No: Ε

Inland waterways transport (ADN)

Tunnel restriction code:

14.1. UN number or ID number: UN 2922

CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane) 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8+6.1 CT1 Classification code: 274 802 Special Provisions: 1 I Limited quantity: Excepted quantity: F2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2922

CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane) 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8+6.1 274 **Special Provisions:** 1 L Limited quantity: Excepted quantity: F2 EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

UN 2922 14.1. UN number or ID number:

CORROSIVE LIQUID, TOXIC, N.O.S. (acetic acid, trichloromethane) 14.2. UN proper shipping name:



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 13 of 14

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8+6.1Special Provisions:A3 A803Limited quantity Passenger:0.5 LPassenger LQ:Y840Excepted quantity:E2

IATA-packing instructions - Passenger:851IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:855IATA-max. quantity - Cargo:30 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 32, Entry 40, Entry 75

Information according to Directive

H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,7,12.

Abbreviations and acronyms

Flam. Liq. 3: Flammable liquids, hazard category 3 Acute Tox. 3: Acute toxicity, hazard category 3 Skin Corr. 1A: Skin corrosion, sub-category 1A Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

Muta. 2: Germ cell mutagenicity, hazard category 2

Carc. 2: Carcinogenicity, hazard category 2

Repr. 2: Reproductive toxicity, hazard category 2

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3 STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1



according to Regulation (EC) No 1907/2006

Essigsäure 99,5/100% / Chloroform reinst 3: 2 volumetrisch gemischt

Revision: 28.08.2024 Product code: 10530 Page 14 of 14

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

	<u> </u>		
Classification	Classification procedure		
Carc. 2; H351	Calculation method		
Muta. 2; H341	Calculation method		
Repr. 2; H361d	Calculation method		
Acute Tox. 3; H331	Calculation method		
Acute Tox. 4; H302	Calculation method		
Skin Corr. 1B; H314	Calculation method		
Eye Dam. 1; H318	Calculation method		
STOT SE 3; H336	Calculation method		
STOT RE 1; H372	Calculation method		

Re

Сe	levant H and EUH stat	tements (number and full text)
	H226	Flammable liquid and vapour.
	H302	Harmful if swallowed.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H318	Causes serious eye damage.
	H319	Causes serious eye irritation.
	H331	Toxic if inhaled.
	H336	May cause drowsiness or dizziness.
	H341	Suspected of causing genetic defects.
	H351	Suspected of causing cancer.
	H361d	Suspected of damaging the unborn child.
	H372	Causes damage to organs (kidneys, liver) through prolonged or repeated exposure.
	H372	Causes damage to organs through prolonged or repeated exposure.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)