

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg
Telephone: 0203/5194-0

6200/01010

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

Exposure, or Accident Gail Cricin TREC Day or Night Within God and Canada

Telefax: 0203/5194-290

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 3; H226 Acute Tox. 3; H331 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411

, iqualio 0...o...o <u>-</u>,

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

chlorobenzene di-n-butylamine

Signal word: Danger

Pictograms:









Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 2 of 14

Hazard statements

H226 Flammable liquid and vapour.
H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.
P273 Avoid release to the environment.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

Special labelling of certain mixtures

EUH071 Corrosive to the respiratory tract.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | | Quantity | |
|----------|---|---------------------------------|--------------------|-----------|--|
| | EC No | Index No | REACH No | | |
| | Classification (Regulation (EC) | No 1272/2008) | · | | |
| 108-90-7 | chlorobenzene | | | | |
| | 203-628-5 | 602-033-00-1 | 01-2119432722-45 | | |
| | Flam. Liq. 3, Acute Tox. 4, Skin | Irrit. 2, Aquatic Chronic 2; H2 | 226 H332 H315 H411 | | |
| 111-92-2 | di-n-butylamine | | | 1 - < 5 % | |
| | 203-921-8 | 612-049-00-0 | 01-2119475606-30 | | |
| | Flam. Liq. 3, Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H226 H330 H311 H301 H314 H318 EUH071 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|-------------------------------|--|--------------|
| | Specific Conc. L | imits, M-factors and ATE | |
| 108-90-7 | 203-628-5 | chlorobenzene | 95 - < 100 % |
| | inhalation: ATE 2000 mg/kg | = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = > | |
| 111-92-2 | 203-921-8 | di-n-butylamine | 1 - < 5 % |
| | inhalation: ATE | 1,2 mg/l (vapours); dermal: ATE 300 mg/kg; oral: ATE 220 mg/kg | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 3 of 14

General information

Self-protection of the first aider

After inhalation

Provide fresh air.

If breathing is irregular or stopped, administer artificial respiration.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Dermatitis

Abdominal pain

Headache

Anaesthetic state

Agitation

Spasms

Gastrointestinal complaints

Vomiting

Has degreasing effect on the skin.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO2), Carbon monoxide

Hydrogen chloride (HCI), Phosgene

Nitrogen oxides (NOx)

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 4 of 14

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 5 of 14

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a place accessible by authorized persons only.

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

national regulations

Further information on storage conditions

Keep cool. Protect from sunlight.

Keep container dry.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|----------|--------------------------------------|-----|-------|---------|---------------|--------|
| 108-90-7 | Chlorobenzene (as monochlorobenzene) | 5 | 23 | | TWA (8 h) | |
| | | 15 | 70 | | STEL (15 min) | |

Biological limit values

| CAS No | Substance | Parameter | Value | Test material | Sampling time |
|----------|---------------|------------------|----------|---------------|------------------------------------|
| 108-90-7 | Chlorobenzene | 4-Chlorocatechol | 100 mg/g | | End of shift at end of workweek |



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 6 of 14

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------|-----------------|----------------|----------|-----------------|
| DNEL type | | Exposure route | Effect | Value |
| 108-90-7 | chlorobenzene | | | |
| Worker DNEL, | long-term | inhalation | systemic | 23 mg/m³ |
| Worker DNEL, | acute | inhalation | systemic | 70 mg/m³ |
| Worker DNEL, | long-term | inhalation | local | 42,3 mg/m³ |
| Worker DNEL, | acute | inhalation | local | 94 mg/m³ |
| Worker DNEL, | long-term | dermal | systemic | 12 mg/kg bw/day |
| Worker DNEL, | acute | dermal | systemic | 15 mg/kg bw/day |
| Consumer DN | EL, long-term | inhalation | systemic | 1 mg/m³ |
| Consumer DN | EL, acute | inhalation | systemic | 1 mg/m³ |
| Consumer DN | EL, long-term | dermal | systemic | 3 mg/kg bw/day |
| Consumer DN | EL, acute | dermal | systemic | 3 mg/kg bw/day |
| Consumer DN | EL, long-term | oral | systemic | 3 mg/kg bw/day |
| Consumer DN | EL, acute | oral | systemic | 3 mg/kg bw/day |
| 111-92-2 | di-n-butylamine | | | |
| Worker DNEL, | long-term | inhalation | systemic | 29 mg/m³ |
| Worker DNEL, | acute | inhalation | systemic | 29 mg/m³ |
| Worker DNEL, | long-term | inhalation | local | 29 mg/m³ |
| Worker DNEL, | acute | inhalation | local | 29 mg/m³ |

PNEC values

| CAS No | Substance | |
|--|------------------------------------|-------------|
| Environmental | compartment | Value |
| 108-90-7 | chlorobenzene | |
| Freshwater | | 0,032 mg/l |
| Freshwater (int | ermittent releases) | 0,066 mg/l |
| Marine water | | 0,003 mg/l |
| Freshwater sed | liment | 0,922 mg/kg |
| Marine sedime | nt | 0,092 mg/kg |
| Secondary pois | coning | 10 mg/kg |
| Micro-organism | s in sewage treatment plants (STP) | 1,4 mg/l |
| Soil | | 0,166 mg/kg |
| 111-92-2 | di-n-butylamine | |
| Freshwater | | 0,084 mg/l |
| Freshwater (int | ermittent releases) | 0,084 mg/l |
| Marine water | | 0,008 mg/l |
| Freshwater sediment | | 11,4 mg/kg |
| Marine sediment | | 1,14 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 149,5 mg/l |
| Soil | | 2,23 mg/kg |

8.2. Exposure controls



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 7 of 14

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Face protection umbrella

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 890 Vitoject®
Suitable material: FKM (fluoro rubber) 0,7 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 890 Vitoject® Suitable material: FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 8 of 14

Odour: like: Benzene
Odour threshold: No data available

Melting point/freezing point:

No data available
Boiling point or initial boiling point and

ca. 132 °C

boiling range:

No data available Flammability: Lower explosion limits: No data available No data available Upper explosion limits: ca. 28 °C Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents

No data available

No data available Dissolution rate: No data available Partition coefficient n-octanol/water: Dispersion stability: No data available No data available Vapour pressure: No data available Vapour pressure: Density: ~1,053 g/cm3 Relative density: No data available No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics:

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

No data available Evaporation rate: No data available Solvent separation test: No data available Solvent content: Solid content: No data available No data available Sublimation point: No data available Softening point: No data available Pour point: No data available No data available Viscosity / dynamic:

/iscosity / dynami (at 20 °C)

Flow time: No data available

Further Information

No data available



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 9 of 14

SECTION 10: Stability and reactivity

10.1. Reactivity

In case of warming: Vapours may form explosive mixtures with air.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Oxidising agent

Alkali metals

Alkaline earth metal

Dimethylsulfoxide (DMSO)

Nitric acid

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Rubber articles

10.6. Hazardous decomposition products

SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Toxic if inhaled.

Resorption (by inhalation)

Resorption (dermal)

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) 9,990 mg/l; ATE (inhalation dust/mist) 1,104 mg/l

| CAS No | Chemical name | Chemical name | | | | | | | |
|----------|----------------------|---------------|------------|---------|---|--------------------|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | | | |
| 108-90-7 | chlorobenzene | | | | | | | | |
| | oral | LD50 mg/kg | > 2000 | Rat | Journal of toxicology and environmental | OECD Guideline 401 | | | |
| | inhalation vapour | ATE | 11 mg/l | | | | | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | | | | |
| 111-92-2 | di-n-butylamine | | | | | | | | |
| | oral | ATE 220 r | ng/kg | | | | | | |
| | dermal | ATE 300 r | ng/kg | | | | | | |
| | | | E 1,2 mg/l | | | | | | |



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 10 of 14

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Corrosive to the respiratory tract.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Causes damage to organs.

Organs affected:

liver

kidneys

Further information

Dermatitis

Abdominal pain

Headache

Anaesthetic state

Agitation

Spasms

Gastrointestinal complaints

Vomiting

Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 11 of 14

| CAS No | Chemical name | | | | | | | |
|----------|--------------------------|---------------|----------|-----------|------------------------------------|--|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 108-90-7 | chlorobenzene | | | | | | | |
| | Acute fish toxicity | LC50 | 4,5 mg/l | 96 h | Lepomis macrochirus | ASTM Spec. Tech. Publ., 891 (Aquat.Toxic | other: EPA-660//3-75-00 9 | |
| | Acute algae toxicity | ErC50 mg/l | 12,5 | 96 h | Pseudokirchneriella subcapitata | Chemosphere 10, 1123-1126 (1981) | Modified Algal Assay Procedure Bottle te | |
| | Acute crustacea toxicity | EC50 mg/l | 0,59 | 48 h | Daphnia magna | Environ. Toxicol.Chem. 4, 297-305 (1985) | other: Test procedure described in the p | |
| | Fish toxicity | NOEC | 4,8 mg/l | 28 d | Danio rerio | Aquatic Toxicology, 16, 321-334 (1990) | OECD Guideline 210 | |
| | Crustacea toxicity | NOEC mg/l | 0,32 | 16 d | Daphnia magna | Aquatic toxicology 6, 209-217 (1985) | other: NEN report 6501, 6502 | |
| | Acute bacteria toxicity | EC50 | 140 mg/l | 0,5 h | Activated sludge | J. Water Pollut. Control Fed. 60, 1850-1 | OECD Guideline 209 | |
| 111-92-2 | di-n-butylamine | | | | | | | |
| | Acute fish toxicity | LC50 | 5,5 mg/l | 96 h | Oncorhynchus mykiss | Chemosphere 9, 753-762 (1980) | other: IRSA, Quaderni dell'Instituto di | |
| | Acute algae toxicity | ErC50 mg/l | 16,91 | 72 h | Desmodesmus subspicatus | Study report (1988) | other: DIN 38412, part 9 | |
| | Acute crustacea toxicity | EC50 | 8,4 mg/l | 48 h | Ceriodaphnia dubia | Study report (1994) | other: Standard guide for conducting acu | |
| | Crustacea toxicity | NOEC | 4,2 mg/l | 21 d | Daphnia magna | Publication (1999) | OECD Guideline 211 | |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|-----------------|-----------|
| 108-90-7 | chlorobenzene | ca. 2,855 |
| 111-92-2 | di-n-butylamine | 2,1 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|----------|-----------------|----------|-----------------|----------------------|
| 108-90-7 | chlorobenzene | 3,9 - 23 | Cyprinus carpio | Japan. Chemicals Ins |
| 111-92-2 | di-n-butylamine | 21 | fish | United States Enviro |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 12 of 14

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Do not allow to enter into surface water or drains.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (chlorobenzene, di-n-butylamine)

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 3+6.1 FT1 Classification code: **Special Provisions:** 274 5 I Limited quantity: E1 Excepted quantity: Transport category: 3 Hazard No: 36 D/E Tunnel restriction code:

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (chlorobenzene, di-n-butylamine)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+6.1Classification code:FT1Special Provisions:274 802Limited quantity:5 LExcepted quantity:E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (chlorobenzene, di-n-butylamine)

 14.3. Transport hazard class(es):
 3

 14.4. Packing group:
 III

 Hazard label:
 3+6.1

 Special Provisions:
 223, 274



according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 13 of 14

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1992

14.2. UN proper shipping name: FLAMMABLE LIQUID, TOXIC, N.O.S. (chlorobenzene, di-n-butylamine)

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3+6.1Special Provisions:A3Limited quantity Passenger:2 LPassenger LQ:Y343Excepted quantity:E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes

Danger releasing substance: chlorobenzene

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

Additional information: P5c, E2

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,11.

Abbreviations and acronyms

Flam. Liq. 3: Flammable liquids, hazard category 3 Acute Tox. 2: Acute toxicity, hazard category 2 Skin Corr. 1A: Skin corrosion, sub-category 1A Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Dibutylamine solution 0.1 mol/l - 0.1 N solution in chlorobenzene

Revision: 20.03.2025 Product code: 16794 Page 14 of 14

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Flam. Liq. 3; H226 | On basis of test data |
| Acute Tox. 3; H331 | Calculation method |
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Aquatic Chronic 2; H411 | Calculation method |

Relevant H and EUH statements (number and full text)

| H226 | Flammable liquid and vapour. |
|--------|--|
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H330 | Fatal if inhaled. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H411 | Toxic to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |

Further Information

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)