

Safety Data Sheet

according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Iodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

UFI: HP0V-Q1YQ-100U-00MT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals
Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

<u>1.4. Emergency telephone</u> For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, <u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 2 of 12

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution

Relevant ingredients

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) I	No 1272/2008)	·		
5949-29-1	Citric acid 1-hydrate				
	201-069-1		01-2119457026-42		
	Eye Irrit. 2, STOT SE 3; H319 H	335			
7553-56-2	iodine				
	231-442-4	053-001-00-3	01-2119485285-30		
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1, Aquatic Acute 1; H332 H312 H315 H319 H335 H372 H400				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

opeoine coner annice, in receive and 7112				
CAS No	EC No	Chemical name	Quantity	
	Specific Conc. I	imits, M-factors and ATE		
5949-29-1	201-069-1	Citric acid 1-hydrate	10 - < 15 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 5400 mg/kg			
7553-56-2	231-442-4	iodine	< 1 %	
	inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = > 4,588 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg			

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a doctor if you feel unwell.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 3 of 12

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Gastrointestinal complaints

Irritant

Vomiting

Abdominal pain

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 4 of 12

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Unsuitable container/equipment material: Metal

Hints on joint storage

TRGS 510

Further information on storage conditions

Keep container tightly closed.

Protect against: Light

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 5 of 12

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7553-56-2	lodine (Inhalable Fraction and Vapour)	0.01	-		TWA (8 h)	
		0.1	-		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7553-56-2	iodine			
Worker DNEL, long-term		inhalation	systemic	0,07 mg/m³
Worker DNEL, long-term		dermal		0,01 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmenta	l compartment	Value
5949-29-1	Citric acid 1-hydrate	
Freshwater		0,44 mg/l
Marine water		0,044 mg/l
Freshwater se	ediment	34,6 mg/kg
Marine sedim	ent	3,46 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	1000 mg/l
Soil		33,1 mg/kg
7553-56-2	iodine	
Freshwater		0,01813 mg/l
Marine water		0,06001 mg/l
Freshwater sediment		3,99 mg/kg
Marine sedim	ent	20,22 mg/kg
Micro-organis	ms in sewage treatment plants (STP)	11 mg/l
Soil		5,95 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 6 of 12

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: red
Odour: odourless
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available
Upper explosion limits:

No data available
Flash point:

No data available
Auto-ignition temperature:

No data available
Decomposition temperature:

No data available
pH-Value:

1,7
Viscosity / kinematic:

No data available



according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for **METROHM**

Revision: 06.03.2025 Product code: 20950 Page 7 of 12

Water solubility: completely miscible

Solubility in other solvents

No data available

Dissolution rate: No data available No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: Density: 1,03842 g/cm³ Relative density: No data available No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics:

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

No data available Sustained combustibility:

Self-ignition temperature

No data available Solid: No data available Gas:

Oxidizing properties No data available

Other safety characteristics

No data available Evaporation rate: No data available Solvent separation test:

Solvent content: 0

Solid content: 0 No data available Sublimation point: No data available Softening point: No data available

No data available:

Pour point:

No data available Viscosity / dynamic: Flow time: No data available

Further Information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Protect against: Light

10.3. Possibility of hazardous reactions

Metal

Oxidising agent

Reducing agent

Alkali (lye)



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Iodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 8 of 12

10.4. Conditions to avoid

Light

10.5. Incompatible materials

Metal

10.6. Hazardous decomposition products

No data available

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
5949-29-1	Citric acid 1-hydrate							
	oral	LD50 mg/kg	5400	Mouse	Study report (1981)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2006)	OECD Guideline 402		
7553-56-2	iodine							
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (2006)	EPA OPPTS 870.1200		
	inhalation vapour	ATE	11 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	> 4,588	Rat	Study report (2008)	OECD Guideline 403		

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 9 of 12

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Gastrointestinal complaints

Irritant

Vomiting

Abdominal pain

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 10 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
5949-29-1	Citric acid 1-hydrate							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Pimephales promelas	Photogr. Sci. Eng. 16(5):370-377 (1972)		
	Acute crustacea toxicity	EC50 mg/l	> 50	48 h	other aquatic crustacea: Dreissena polymorpha	Environ.Toxicol.Ch em. 16(9): 1930-1934 (other: ASTM	
	Algae toxicity	NOEC	425 mg/l	8 d	Scenedesmus quadricauda	Water Research 14: 231-241 (1980)	other: Bringmann and Kuhn	
7553-56-2	iodine							
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Oncorhynchus mykiss	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute algae toxicity	ErC50 mg/l	0,13	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,59	48 h	Daphnia magna	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute bacteria toxicity	EC50	280 mg/l	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5949-29-1	Citric acid 1-hydrate	-1,55
7553-56-2	iodine	2,49

BCF

CAS No	Chemical name	BCF	Species	Source
5949-29-1	Citric acid 1-hydrate	3,2		In: (2009)

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Further information

Do not allow to enter into surface water or drains.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Iodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for METROHM

Revision: 06.03.2025 Product code: 20950 Page 11 of 12

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not allow to enter into surface water or drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

SECTION 14: Transport information

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75



according to Regulation (EC) No 1907/2006

lodine/citric acid approx. 0.005mol I2/L for nickel determination auxiliary solution for **METROHM**

Revision: 06.03.2025 Product code: 20950 Page 12 of 12

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Abbreviations and acronyms

Acute Tox. 4: Acute toxicity, hazard category 4 Skin Irrit. 2: Skin irritation, hazard category 2 Eye Irrit. 2: Eye irritation, hazard category 2

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3 STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

R

e Irrit. 2; H319	Calculation method
Relevant H and EUH statements (number and full text)	
H312 Ha	rmful in contact with skin.

H319 Causes serious eye irritation. H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Causes skin irritation.

H372 Causes damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

H400 Very toxic to aquatic life.

Further Information

H315

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)