

according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Natriumiodid-lodlösung Goldätze 16 % NaI + 1,5% lod in Wasser 0,2 µm membranfiltriert

UFI: RHXW-H12D-H00R-2XSS

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

Industrial uses: Uses of substances as such or in preparations at industrial sites

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

### Uses advised against

Do not use for private purposes (household).

# 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de
Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

number: Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

STOT RE 1; H372 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

# Regulation (EC) No 1272/2008

## Hazard components for labelling

sodium iodide iodine

Signal word: Danger

Pictograms:



## **Hazard statements**

H372 Causes damage to organs through prolonged or repeated exposure.



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 2 of 11

H373 May cause damage to organs (thyroid gland) through prolonged or repeated exposure if

swallowed.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P314 Get medical advice/attention if you feel unwell.

# 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name	Chemical name			
	EC No	Index No	REACH No		
	Classification (Regulation (EC) N	lo 1272/2008)			
7681-82-5	sodium iodide				
	231-679-3				
	STOT RE 1, Aquatic Acute 1; H3	72 H400			
7553-56-2	iodine		1 - < 5 %		
	231-442-4	053-001-00-3	01-2119485285-30		
	Acute Tox. 4, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 1, Aquatic Acute 1; H332 H312 H315 H319 H335 H372 H400				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	Limits, M-factors and ATE	
7681-82-5	231-679-3	sodium iodide	15 - < 20 %
	oral: LD50 = 31	18 mg/kg	
7553-56-2	231-442-4	iodine	1 - < 5 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: LC50 = > 4,588 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg		

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

No data available

#### After inhalation

Provide fresh air.

### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

# After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 3 of 11

ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrogen iodide (HI)

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



according to Regulation (EC) No 1907/2006

## Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 4 of 11

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

## Hints on joint storage

national regulations

# Further information on storage conditions

Keep container dry.

# 7.3. Specific end use(s)

Laboratory chemicals

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7553-56-2	lodine (Inhalable Fraction and Vapour)	0.01	-		TWA (8 h)	
		0.1	-		STEL (15 min)	



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 5 of 11

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7681-82-5	sodium iodide			
Consumer DNEL, long-term		oral	systemic	0,01 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,01 mg/kg bw/day
7553-56-2 iodine				
Worker DNEL, long-term		inhalation	systemic	0,07 mg/m³
Worker DNEL, long-term		dermal	systemic	0,01 mg/kg bw/day

#### **PNEC values**

CAS No	Substance			
Environmental	Environmental compartment Value			
7681-82-5	sodium iodide			
Freshwater		0,001 mg/l		
Freshwater (int	ermittent releases)	0,075 mg/l		
Freshwater sec	liment	0,001 mg/kg		
Secondary poisoning 0,3 mg/kg		0,3 mg/kg		
7553-56-2	iodine			
Freshwater		0,01813 mg/l		
Marine water 0,0600		0,06001 mg/l		
Freshwater sediment 3,99 r		3,99 mg/kg		
Marine sediment 20,22		20,22 mg/kg		
Micro-organisms in sewage treatment plants (STP)		11 mg/l		
Soil 5,95 mg/kg				

### 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Wear eye protection/face protection.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 6 of 11

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L
Recommended material: NBR (Nitrile rubber) 0,11 mm
Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: brown
Odour: charact

Odour: characteristic
Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

?

boiling range:

Flammability: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined
Flash point: X

Flash point: X
Auto-ignition temperature: No data available
Decomposition temperature: not determined
pH-Value: not determined
Viscosity / kinematic: No data available

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

1,14838 g/cm³

Bulk density:

No data available

Relative vapour density:

not determined

#### 9.2. Other information

Information with regard to physical hazard classes



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 7 of 11

Explosive properties

No data available

Sustaining combustion: No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties Not oxidising.

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

Solid content:

Sublimation point:

Softening point:

No data available
Pour point:

No data available
No data available
No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

### **Further information**

No data available

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

# ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 8 of 11

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7681-82-5	sodium iodide					
	oral	LD50 mg/kg	3118	Rat	Study report (1980)	OECD Guideline 401
7553-56-2	iodine					
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (2006)	EPA OPPTS 870.1200
	inhalation vapour	ATE	11 mg/l			
	inhalation (4 h) dust/mist	LC50 mg/l	> 4,588	Rat	Study report (2008)	OECD Guideline 403

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Following ingestion Gastric perforation

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Irritating to respiratory system.

Pulmonary oedema

see also Section 4

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (sodium iodide)

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

There are no data available on the preparation/mixture itself.

#### Additional information on tests

There are no data available on the preparation/mixture itself.

#### **Practical experience**

There are no data available on the preparation/mixture itself.

# 11.2. Information on other hazards

### Other information

There are no data available on the preparation/mixture itself.

## **Further information**

There are no data available on the preparation/mixture itself.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 9 of 11

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7681-82-5	sodium iodide						
	Acute fish toxicity	LC50 mg/l	3780	96 h	Oncorhynchus mykiss	Publication (1995)	other: Protocol to determine the acute I
	Acute crustacea toxicity	EC50 mg/l	1,27	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202
7553-56-2	iodine						
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Oncorhynchus mykiss	Publication (1995)	other: Ontario Ministry of the Environme
	Acute algae toxicity	ErC50 mg/l	0,13		Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,59	48 h	Daphnia magna	Publication (1995)	other: Ontario Ministry of the Environme
	Acute bacteria toxicity	EC50	280 mg/l		activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209

#### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7553-56-2	iodine	2,49

### 12.4. Mobility in soil

There are no data available on the mixture itself.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

### **Further information**

Do not allow to enter into surface water or drains.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 10 of 11

#### **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

# 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,4,5,6,7,8,9,10,12,13,14.



according to Regulation (EC) No 1907/2006

# Natriumiodid-lodlösung Goldätze 16 % Nal + 1,5% lod in Wasser 0,2 µm membranfiltriert

Revision date: 11.12.2024 Product code: 21647 Page 11 of 11

### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Irrit: Eye irritation

STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Acute: Acute aquatic hazard

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
STOT RE 1; H372	Calculation method
STOT RE 2; H373	Calculation method

#### Relevant H and EUH statements (number and full text)

H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)