

according to Regulation (EC) No 1907/2006

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

UFI: C2RA-C271-800M-GSDS

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290

Carc. 1B; H350i

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

Cobalt(II) chloride hexahydrate

**Signal word:** Danger**Pictograms:**

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 2 of 12

**Hazard statements**

- H290 May be corrosive to metals.  
H350i May cause cancer by inhalation.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

- P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P390 Absorb spillage to prevent material damage.

**Special labelling of certain mixtures**

Restricted to professional users.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7647-01-0	Hydrochloric acid			1 - < 5 %
	231-595-7	017-002-01-X	01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			
7791-13-1	Cobalt(II) chloride hexahydrate			< 0.1 %
	231-589-4	027-004-00-5	01-2119517584-37	
	Carc. 1B, Muta. 2, Repr. 1B, Acute Tox. 4, Resp. Sens. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H350i H341 H360F H302 H334 H317 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %
	Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100		
7791-13-1	231-589-4	Cobalt(II) chloride hexahydrate	< 0.1 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 537 mg/kg Carc. 1B; H350i: >= 0,01 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10		

**Further Information**

No data available

**SECTION 4: First aid measures****4.1. Description of first aid measures**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 3 of 12

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant

Allergic reactions

Gastrointestinal complaints

Symptoms of acute cobalt poisoning: Diarrhoea, loss of appetite, drop in body temperature, drop in blood pressure, toxic effects on the kidneys (albuminuria, anuria), heart and pancreas.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Metal oxide smoke, toxic

Hydrogen chloride (HCl)

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures**

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 4 of 12

**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Avoid exposure - obtain special instructions before use.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

**Further information on handling**

Draw up and observe skin protection programme.

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 5 of 12

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Store in a dry place.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7647-01-0	Hydrochloric acid			
Worker DNEL, long-term		inhalation	local	8 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	15 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	8 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	15 mg/m <sup>3</sup>
7791-13-1	Cobalt(II) chloride hexahydrate			
Consumer DNEL, long-term		oral	systemic	0,12 mg/kg bw/day

**PNEC values**

CAS No	Substance	Value
Environmental compartment		
7791-13-1	Cobalt(II) chloride hexahydrate	
Freshwater		0,0006 mg/l
Marine water		0,00236 mg/l
Freshwater sediment		9,5 mg/kg
Marine sediment		9,5 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,37 mg/l
Soil		10,9 mg/kg

**8.2. Exposure controls**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 6 of 12

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:

Liquid

Colour:

red

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 7 of 12

Odour:	odourless	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		0,5
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		1,004 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		No data available

**9.2. Other information**

**Information with regard to physical hazard classes**

Explosive properties	
No data available	
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available
Oxidizing properties	
Oxidizing	

**Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	0
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

**Further Information**

Corrosive to metals

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Corrosive to metals

**10.2. Chemical stability**

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 8 of 12

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Metal

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7791-13-1	Cobalt(II) chloride hexahydrate				
	oral	LD50 537 mg/kg	Rat	Revista Española de Fisiología, 39: 291	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (2007)	OECD Guideline 402

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer by inhalation. (Cobalt(II) chloride hexahydrate)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.



**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 9 of 12

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards****Other information**

There are no data available on the mixture itself.

**Further information**

There are no data available on the mixture itself.

**SECTION 12: Ecological information****12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7647-01-0	Hydrochloric acid					
	Acute fish toxicity	LC50 862 mg/l	96 h	Leuciscus idus		
7791-13-1	Cobalt(II) chloride hexahydrate					
	Acute fish toxicity	LC50 54,1 mg/l	96 h	Pimephales promelas	Study report (2009)	other: ASTM guideline
	Acute algae toxicity	ErC50 71,314 mg/l	96 h	Dunaliella tertiolecta	Study report (2010)	other: American Society for Testing and
	Acute crustacea toxicity	EC50 42,7 mg/l	48 h	Aeolosoma sp.	Study report (2008)	Newman, J.P., Jr. 1975. The effects of h
	Fish toxicity	NOEC 0,21 mg/l	34 d	Pimephales promelas	Study report (2009)	other: This study was conducted accordin
	Algae toxicity	NOEC 0,0018 mg/l	7 d	Champia parvula	Study report - model refit from original	other: EPA 821-R-02-014, Method 1009.0
	Crustacea toxicity	NOEC 0,1697 mg/l	14 d	Aeolosoma sp.	Study report (2008)	other: Newman, J.P., Jr. 1975. The effec
	Acute bacteria toxicity	EC50 120 mg/l ( )	0,5 h	Activated sludge	Study report (2010)	OECD Guideline 209

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**BCF**

CAS No	Chemical name	BCF	Species	Source
7791-13-1	Cobalt(II) chloride hexahydrate	23	Asterias rubens	Marine Pollution Bul

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 10 of 12

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Dispose of waste according to "Kreislaufwirtschafts- und Abfallgesetz (KrW-/AbfG)".

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Special Provisions:	520
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1789
<b>14.2. UN proper shipping name:</b>	HYDROCHLORIC ACID

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2

Revision: 22.05.2024

Product code: 26266

Page 11 of 12

**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8  
Special Provisions: 223  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-A, S-B

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1789  
**14.2. UN proper shipping name:** HYDROCHLORIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8  
Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
Passenger LQ: Y841  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 852  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 856  
IATA-max. quantity - Cargo: 60 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

Cobalt(II) chloride hexahydrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive  
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

Water hazard class (D):

2 - obviously hazardous to water

### SECTION 16: Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9.

**Color reference solution R6 for coloring liquids Reag. Ph. Eur., chapter 2.2.2**

Revision: 22.05.2024

Product code: 26266

Page 12 of 12

**Abbreviations and acronyms**

Met. Corr. 1: Corrosive to metals, hazard category 1  
Acute Tox. 4: Acute toxicity, hazard category 4  
Skin Corr. 1B: Skin corrosion, sub-category 1B  
Eye Dam. 1: Serious eye damage, hazard category 1  
Resp. Sens. 1: Respiratory sensitisation, hazard category 1  
Skin Sens. 1: Skin sensitisation, hazard category 1  
Muta. 2: Germ cell mutagenicity, hazard category 2  
Carc. 1B: Carcinogenicity, hazard category 1B  
Repr. 1B: Reproductive toxicity, hazard category 1B  
STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3  
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1B; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H341 Suspected of causing genetic defects.  
H350i May cause cancer by inhalation.  
H360F May damage fertility.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*