

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 1 of 13

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

UFI: EXUC-U2F6-M00J-1CYY

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

## Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Met. Corr. 1; H290 Acute Tox. 4; H332 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

## Hazard components for labelling

diisopropylamine Hydrochloric acid

Signal word: Danger



according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 2 of 13

# Pictograms:







#### **Hazard statements**

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Chemical characterization**

Mixtures in aqueous solution

## Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation	on (EC) No 1272/2008)				
108-18-9	diisopropylamine					
	203-558-5	612-129-00-5	01-2119485846-20			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H225 H331 H302 H314 H335					
7647-01-0	Hydrochloric acid					
	231-595-7	017-002-01-X	01-2119484862-27			
	Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335					

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. I	Limits, M-factors and ATE		
108-18-9	203-558-5	diisopropylamine	10 - < 15 %	
	inhalation: LC50 = 5,35 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = > 2000 - < 5000 mg/kg; oral: LD50 = 420 mg/kg STOT SE 3; H335: >= 5 - 100			
7647-01-0	231-595-7	Hydrochloric acid	1 - < 5 %	
Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25 STOT SE 3; H335: >= 10 - 100				

#### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 3 of 13

(REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

No data available

#### After inhalation

Provide fresh air.

Call a physician immediately.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do not allow a neutralisation agent to be drunk. Do NOT induce vomiting.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Dyspnoea

Risk of serious damage to eyes.

Pulmonary oedema

Headache

Spasms

Conjunctival oedema (chemosis).

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

# 5.2. Special hazards arising from the substance or mixture

Combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

Carbon dioxide (CO2) Carbon monoxide

Hydrogen chloride (HCI)

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Heating causes rise in pressure with risk of bursting.

Beware of reignition.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 4 of 13

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Keep away from sources of ignition - No smoking.

This material can be ignited by heat, sparks, flames, or other sources of ignition (e.g., static electricity, pilot lights, mechanical/electrical equipment, and electronic devices such as cell phones, computers, calculators, and pagers which have not been certified as intrinsically safe).

Take action to prevent static discharges.

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

## For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Danger of explosion

### 6.3. Methods and material for containment and cleaning up

### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13



according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 5 of 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

#### Advice on protection against fire and explosion

Take action to prevent static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

## Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

national regulations

#### Further information on storage conditions

Keep container tightly closed.

Keep cool. Protect from sunlight.

storage temperature < +30°C

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
108-18-9	Diisopropylamine	5	20		TWA (8 h)	
7647-01-0	Hydrogen chloride	5	8		TWA (8 h)	
		10	15		STEL (15 min)	



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 6 of 13

### **DNEL/DMEL values**

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
108-18-9	diisopropylamine			
Worker DNEL	, long-term	inhalation	systemic	5 mg/m³
Worker DNEL	, acute	inhalation	systemic	18 mg/m³
Worker DNEL	, long-term	inhalation	local	5 mg/m³
Worker DNEL	, acute	inhalation	local	18 mg/m³
Worker DNEL	, long-term	dermal	systemic	0,5 mg/kg bw/day
Worker DNEL	, long-term	dermal	local	0,22 mg/cm <sup>2</sup>
Consumer DN	IEL, long-term	inhalation	systemic	0,6 mg/m³
Consumer DN	IEL, long-term	inhalation	local	0,6 mg/m³
Consumer DNEL, long-term		oral	systemic	0,083 mg/kg bw/day
7647-01-0	Hydrochloric acid			
Worker DNEL, long-term		inhalation	local	8 mg/m³
Worker DNEL, acute		inhalation	local	15 mg/m³
Consumer DNEL, long-term		inhalation	local	8 mg/m³
Consumer DNEL, acute		inhalation	local	15 mg/m³

## **PNEC values**

CAS No	Substance			
Environmental	compartment	Value		
108-18-9	diisopropylamine			
Freshwater		0,5 mg/l		
Freshwater (intermittent releases) 0,2 mg/		0,2 mg/l		
Marine water		0,05 mg/l		
Freshwater sediment		5,1 mg/kg		
Marine sediment		0,51 mg/kg		
Micro-organisms in sewage treatment plants (STP)		28,6 mg/l		
Soil 0,56 mg/kg				

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

Face protection umbrella

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 730 Camatril® Velours



according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 7 of 13

Suitable material: NBR (Nitrile rubber) 0,4 mm

Wearing time with occasional contact (splashes): > 480 min

By short-term hand contact

Trade name/designation KCL 730 Camatril® Velours Suitable material: NBR (Nitrile rubber) 0,4 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wear fire resistant or flame retardant clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Danger of explosion

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Liquid

colourless

like: Amines

No data available

Melting point/freezing point:

No data available

Boiling point or initial boiling point and

>35 °C

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available
Upper explosion limits:

No data available
Flash point:

<21 °C
Auto-ignition temperature:

No data available
Decomposition temperature:

No data available
pH-Value:

12
Viscosity / kinematic:

No data available

Water solubility: Solubility in other solvents

No data available

Dissolution rate:

Partition coefficient n-octanol/water:

Dispersion stability:

No data available

No data available

No data available

Soluble in: Water



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 8 of 13

Vapour pressure:

Vapour pressure:

No data available

No data available

Density:

O,9861 g/cm³

Relative density:

No data available

Bulk density:

No data available

Relative vapour density:

No data available

Particle characteristics:

No data available

## 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Sustained combustibility:

Sustained combustibility:

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

## Other safety characteristics

No data available Evaporation rate: No data available Solvent separation test: No data available Solvent content: Solid content: No data available No data available Sublimation point: No data available Softening point: No data available Pour point: No data available No data available Viscosity / dynamic: No data available Flow time:

# Further Information

No data available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Vapours may form explosive mixtures with air.

### 10.2. Chemical stability

Protect against:

Air

### 10.3. Possibility of hazardous reactions

Oxidising agent

Acids

peroxides, for example hydrogen peroxide

Aluminium

NO3

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## 10.5. Incompatible materials

Aluminium

### 10.6. Hazardous decomposition products



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 9 of 13

**SECTION 5: Firefighting measures** 

#### **Further information**

No data available

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

### **Acute toxicity**

Harmful if inhaled.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) 4,789 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
108-18-9	diisopropylamine					
	oral	LD50 mg/kg	420	Rat	Study report (1985)	EPA OPP 81-1
	dermal	LD50 < 5000 m	> 2000 - g/kg	Rat	Study report (1977)	OECD Guideline 402
	inhalation (4 h) vapour	LC50	5,35 mg/l	Rat	Study report (1979)	OECD Guideline 403
	inhalation dust/mist	ATE	0,5 mg/l			

# Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

## Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (diisopropylamine)

Damage to:

kidneys

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

There are no data available on the mixture itself.

#### Specific effects in experiment on an animal

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 10 of 13

### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

There are no data available on the mixture itself.

#### Other information

Pulmonary oedema

### **Further information**

Irritant

corrosive

Dyspnoea

Risk of serious damage to eyes.

Pulmonary oedema

Headache

Spasms

Conjunctival oedema (chemosis).

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
108-18-9	diisopropylamine							
	Acute fish toxicity	LC50 31 mg/l	> 21 - <	96 h	Leuciscus idus	Other company data (1985)	other: German industrial standard test g	
	Acute algae toxicity	ErC50	20 mg/l	96 h	Selenastrum sp.	Publication (1980)	other: EPA, National Eutrophication Rese	
	Fish toxicity	NOEC	582 mg/l	35 d	Gasterosteus aculeatus	Publication (1989)	OECD Guideline 210	
	Acute bacteria toxicity	EC50 mg/l ( )	> 100	3 h	Activated sludge	Study report (2010)	OECD Guideline 209	
7647-01-0	Hydrochloric acid							
	Acute fish toxicity	LC50	862 mg/l	96 h	Leuciscus idus			

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
108-18-9	diisopropylamine	0,4

## 12.4. Mobility in soil

There are no data available on the mixture itself.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 11 of 13

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 2924
-------------------------------	---------

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (diisopropylamine,

Hydrochloric acid)

3 14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 3+8 Classification code: FC 274 **Special Provisions:** 1 I Limited quantity: E2 Excepted quantity: Transport category: 2 338 Hazard No: Tunnel restriction code: D/F

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (diisopropylamine,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Classification code:FCSpecial Provisions:274Limited quantity:1 LExcepted quantity:E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 2924



according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 12 of 13

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (diisopropylamine,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:274Limited quantity:1 LExcepted quantity:E2EmS:F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2924

**14.2. UN** proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (diisopropylamine,

Hydrochloric acid)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8Special Provisions:A3Limited quantity Passenger:0.5 LPassenger LQ:Y340Excepted quantity:E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:363IATA-max. quantity - Cargo:5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,3,9.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# ISA solution 1M diisopropylamine + 0.36 M HCl for the determination of sodium

Revision: 23.09.2025 Product code: 26672 Page 13 of 13

#### Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1 Flam. Liq. 2: Flammable liquids, hazard category 2 Acute Tox. 3: Acute toxicity, hazard category 3 Skin Corr. 1B: Skin corrosion, sub-category 1B Eye Dam. 1: Serious eye damage, hazard category 1

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

## Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

#### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)