

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

UFI: 3NGW-62MU-G00A-M1EH

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

Skin Corr. 1B; H314 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

# Regulation (EC) No 1272/2008

## Hazard components for labelling

acetic acid

Signal word: Danger

Pictograms:



#### **Hazard statements**

H314 Causes severe skin burns and eye damage.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 2 of 12

### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64-19-7	acetic acid			30 - < 35 %
	200-580-7	607-002-00-6	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318			
631-61-8	ammonium acetate			20 - < 25 %
	211-162-9			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
64-19-7	200-580-7	7 acetic acid			
	oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25				
631-61-8	211-162-9	11-162-9 ammonium acetate			
	dermal: LD50 = > 26556,42 mg/kg; oral: LD50 = >= 2333,28 mg/kg				

### **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

No data available

### After inhalation

Provide fresh air.

Call a physician immediately.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 3 of 12

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Unsuitable extinguishing media

no restriction

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated:

Carbon dioxide (CO2), Carbon monoxide

Acetic acid vapour

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eves and clothes.

## **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 4 of 12

### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Do not breathe gas/fumes/vapour/spray. Provide adequate ventilation.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

# Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. If handled uncovered, arrangements with local exhaust ventilation have to be used.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Store in a well-ventilated place. Keep container tightly closed.

### Hints on joint storage

national regulations

## Further information on storage conditions

Store in a dry place.

### 7.3. Specific end use(s)

Laboratory chemicals



according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 5 of 12

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	

## **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
64-19-7	acetic acid					
Worker DNEL	, long-term	inhalation	local	25 mg/m³		
Worker DNEL	., acute	inhalation	local	25 mg/m³		
Consumer DN	IEL, long-term	inhalation	local	25 mg/m³		
Consumer DN	IEL, acute	inhalation	local	25 mg/m³		
631-61-8	ammonium acetate					
Worker DNEL	, long-term	inhalation	systemic	911,56 mg/m <sup>3</sup>		
Worker DNEL	., acute	inhalation	systemic	5469,35 mg/m³		
Worker DNEL	, long-term	dermal	systemic	10,34 mg/kg bw/day		
Worker DNEL, acute		dermal	systemic	62,04 mg/kg bw/day		
Consumer DN	NEL, long-term	inhalation	systemic	449,56 mg/m³		
Consumer DN	NEL, acute	inhalation	systemic	2674,16 mg/m³		
Consumer DN	IEL, long-term	dermal	systemic	5,17 mg/kg bw/day		
Consumer DNEL, acute		dermal	systemic	31,02 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	5,17 mg/kg bw/day		
Consumer DNEL, acute		oral	systemic	31,02 mg/kg bw/day		



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 6 of 12

#### **PNEC values**

CAS No	Substance	
Environment	al compartment	Value
64-19-7	acetic acid	·
Freshwater		3,058 mg/l
Freshwater (	intermittent releases)	30,58 mg/l
Marine water	•	0,306 mg/l
Freshwater s	rediment	11,36 mg/kg
Marine sedin	Marine sediment	
Micro-organisms in sewage treatment plants (STP)		85 mg/l
Soil	Soil	
631-61-8	ammonium acetate	
Freshwater		3,08 mg/l
Marine water	Marine water	
Freshwater sediment		2,51 mg/kg
Marine sediment		0,251 mg/kg
Micro-organia	Micro-organisms in sewage treatment plants (STP)	
Soil		0,72 mg/kg

### 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

goggles

Face protection umbrella

## **Hand protection**

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

KCL 897 Butoject®

Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

KCL 890 Vitoject®

FKM (fluoro rubber) 0,7 mm

Wearing time with occasional contact (splashes): > 60 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 7 of 12

### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: like: Acetic acid

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: No data available Lower explosion limits: Upper explosion limits: No data available No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: pH-Value (at 20 °C): No data available Viscosity / kinematic: Water solubility: completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

1,0794 g/cm³

Bulk density:

No data available

Relative vapour density:

No data available

### 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility: No sustained combustibility

Self-ignition temperature

Solid: No data available Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

No data available

No data available

No data available



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 8 of 12

Sublimation point:

Softening point:

Pour point:

No data available

Flow time:

No data available

Further Information
No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

May be corrosive to metals.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Oxidising agent Alkali (lye)

## 10.4. Conditions to avoid

Heat

#### 10.5. Incompatible materials

Metal

### 10.6. Hazardous decomposition products

**SECTION 5: Firefighting measures** 

## **Further information**

No data available

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### ATFmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 9 of 12

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64-19-7	acetic acid					
	oral	LD50 3310 mg/kg	Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin	
631-61-8	-61-8 ammonium acetate					
	oral	LD50 >= 2333,28 mg/kg		Read-across (2010)	Read-across approach from published expe	
	dermal	LD50 > 26556,42 mg/kg		Read-across (2010)	Read-across approach from published expe	

### Irritation and corrosivity

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

Observe risk of aspiration if vomiting occurs.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

### Additional information on tests

There are no data available on the mixture itself.

### Practical experience

There are no data available on the mixture itself.

### 11.2. Information on other hazards

### Other information

Irritant

corrosive

Dyspnoea

Gastrointestinal complaints

Vomiting

#### **Further information**

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

## 12.1. Toxicity



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 10 of 12

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
64-19-7	acetic acid							
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257	
	Acute algae toxicity	ErC50 mg/l	> 1000		Skeletonema costatum	Study report (2005)	ISO 10253	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202	
631-61-8	ammonium acetate							
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253	
	Acute crustacea toxicity	EC50 mg/l	> 360,89	48 h		Read-across (2010)	Read-across approach from Letter of Acce	
	Fish toxicity	NOEC	154 mg/l	60 d	Cyprinus carpio	Publication (1999)	OECD Guideline 204	

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17
631-61-8	ammonium acetate	-2,79

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch
631-61-8	ammonium acetate	3,162		Calculation (2010)

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

Do not allow to enter into surface water or drains.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.



according to Regulation (EC) No 1907/2006

# Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 11 of 12

Send to a physico-chemical treatment facility under observation of official regulations.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es): 14.4. Packing group: Ш 8 Hazard label: C3 Classification code: 597 647 **Special Provisions:** 5 L Limited quantity: E1 Excepted quantity: Transport category: 3 80 Hazard No: Ε Tunnel restriction code:

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C3Special Provisions:597 647Limited quantity:5 LExcepted quantity:E1

### Marine transport (IMDG)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:-Limited quantity:5 LExcepted quantity:E2EmS:F-A, S-B

# Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2790

14.2. UN proper shipping name: ACETIC ACID SOLUTION

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A803Limited quantity Passenger:1 LPassenger LQ:Y841Excepted quantity:E1

IATA-packing instructions - Passenger: 852



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Acetat-Pufferlösung pH 4,5 ± 0,2 (20 °C) zur photometrischen Eisen-Bestimmung

Revision: 05.11.2024 Product code: 32679 Page 12 of 12

IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,12.

### Abbreviations and acronyms

Flam. Liq. 3: Flammable liquids, hazard category 3 Skin Corr. 1A: Skin corrosion, sub-category 1A Eye Dam. 1: Serious eye damage, hazard category 1

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)