

according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

#### 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

<u>1.4. Emergency telephone</u> For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, <u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

#### **Further Information**

This product is a mixture. REACH Registration Number see section 3.

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Met. Corr. 1; H290 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

#### Regulation (EC) No 1272/2008

## Hazard components for labelling

potassium iodide

Signal word: Warning

Pictograms:





#### **Hazard statements**

H290 May be corrosive to metals.

H373 May cause damage to organs (thyroid gland) through prolonged or repeated exposure if



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 2 of 12

swallowed.

#### **Precautionary statements**

P234 Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P314 Get medical advice/attention if you feel unwell.
P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion-resistant container with a resistant inner liner.

## 2.3. Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixtures in aqueous solution

#### Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation	on (EC) No 1272/2008)	•	
7664-93-9	sulphuric acid			1 - < 5 %
	231-639-5	016-020-00-8	01-2119458838-20	
	Met. Corr. 1, Skin Corr.			
7681-11-0	potassium iodide	1 - < 5 %		
	231-659-4		01-2119906339-35	
	STOT RE 1; H372			
7553-56-2	iodine	< 1 %		
	231-442-4	053-001-00-3	01-2119485285-30	
	Acute Tox. 4, Acute Tox H312 H315 H319 H335			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
7664-93-9	231-639-5	sulphuric acid	1 - < 5 %
	oral: LD50 = 2 Irrit. 2; H319: >	140 mg/kg Skin Corr. 1A; H314: >= 15 - 100 Skin Irrit. 2; H315: >= 5 - < 15 Eye = 5 - < 15	
7681-11-0	231-659-4	potassium iodide	1 - < 5 %
	oral: LD50 = 3	118 mg/kg	
7553-56-2	231-442-4	iodine	< 1 %
	inhalation: ATE LD50 = > 2000	E = 11 mg/l (vapours); inhalation: LC50 = > 4,588 mg/l (dusts or mists); dermal: mg/kg	

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 3 of 12

#### **General information**

No data available

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Irritant

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

no restriction

### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Sulphur oxides

Hydrogen iodide (HI)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Corrosive to metals.

### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 4 of 12

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol. Use extractor hood (laboratory).

### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

#### Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Corrosive to metals.

Unsuitable container/equipment material: Metal

## Hints on joint storage

national regulations



according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 5 of 12

### Further information on storage conditions

Keep container tightly closed. Protect against: Light

### 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
7553-56-2	lodine (Inhalable Fraction and Vapour)	0.01	-		TWA (8 h)	
		0.1	-		STEL (15 min)	
7664-93-9	Sulphuric acid	-	0.05		TWA (8 h)	

#### **DNEL/DMEL values**

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
7664-93-9	sulphuric acid					
Worker DNEL, long-term		inhalation	local	0,05 mg/m³		
Worker DNEL, acute		inhalation	local	0,1 mg/m³		
7553-56-2	iodine					
Worker DNEL, long-term		inhalation	systemic	0,07 mg/m³		
Worker DNEL, long-term		dermal	systemic	0,01 mg/kg bw/day		

### PNEC values

CAS No         Substance           Environmental compartment         Value           7664-93-9         sulphuric acid           Freshwater         0,003 mg/l           Marine water         0 mg/l           Freshwater sediment         0,002 mg/kg           Marine sediment         0,002 mg/kg           Micro-organisms in sewage treatment plants (STP)         8,8 mg/l           7553-56-2         iodine           Freshwater         0,01813 mg/l           Marine water         0,06001 mg/l           Freshwater sediment         3,99 mg/kg           Marine sediment         20,22 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l           Soil         5 95 mg/kg			
7664-93-9         sulphuric acid           Freshwater         0,003 mg/l           Marine water         0 mg/l           Freshwater sediment         0,002 mg/kg           Marine sediment         0,002 mg/kg           Micro-organisms in sewage treatment plants (STP)         8,8 mg/l           7553-56-2         iodine           Freshwater         0,01813 mg/l           Marine water         0,06001 mg/l           Freshwater sediment         3,99 mg/kg           Marine sediment         20,22 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l	CAS No	Substance	
Freshwater         0,003 mg/l           Marine water         0 mg/l           Freshwater sediment         0,002 mg/kg           Marine sediment         0,002 mg/kg           Micro-organisms in sewage treatment plants (STP)         8,8 mg/l           7553-56-2         iodine           Freshwater         0,01813 mg/l           Marine water         0,06001 mg/l           Freshwater sediment         3,99 mg/kg           Marine sediment         20,22 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l	Environmental	compartment	Value
Marine water       0 mg/l         Freshwater sediment       0,002 mg/kg         Marine sediment       0,002 mg/kg         Micro-organisms in sewage treatment plants (STP)       8,8 mg/l         7553-56-2 iodine         Freshwater       0,01813 mg/l         Marine water       0,06001 mg/l         Freshwater sediment       3,99 mg/kg         Marine sediment       20,22 mg/kg         Micro-organisms in sewage treatment plants (STP)       11 mg/l	7664-93-9	sulphuric acid	
Freshwater sediment         0,002 mg/kg           Marine sediment         0,002 mg/kg           Micro-organisms in sewage treatment plants (STP)         8,8 mg/l           7553-56-2 iodine           Freshwater         0,01813 mg/l           Marine water         0,06001 mg/l           Freshwater sediment         3,99 mg/kg           Marine sediment         20,22 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l	Freshwater		0,003 mg/l
Marine sediment       0,002 mg/kg         Micro-organisms in sewage treatment plants (STP)       8,8 mg/l         7553-56-2 iodine         Freshwater       0,01813 mg/l         Marine water       0,06001 mg/l         Freshwater sediment       3,99 mg/kg         Marine sediment       20,22 mg/kg         Micro-organisms in sewage treatment plants (STP)       11 mg/l	Marine water		0 mg/l
Micro-organisms in sewage treatment plants (STP)         8,8 mg/l           7553-56-2         iodine           Freshwater           Marine water         0,01813 mg/l           Freshwater sediment         0,06001 mg/l           Marine sediment         3,99 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l	Freshwater sec	diment	0,002 mg/kg
7553-56-2         iodine           Freshwater         0,01813 mg/l           Marine water         0,06001 mg/l           Freshwater sediment         3,99 mg/kg           Marine sediment         20,22 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l	Marine sediment		0,002 mg/kg
Freshwater         0,01813 mg/l           Marine water         0,06001 mg/l           Freshwater sediment         3,99 mg/kg           Marine sediment         20,22 mg/kg           Micro-organisms in sewage treatment plants (STP)         11 mg/l	Micro-organisms in sewage treatment plants (STP)		8,8 mg/l
Marine water0,06001 mg/lFreshwater sediment3,99 mg/kgMarine sediment20,22 mg/kgMicro-organisms in sewage treatment plants (STP)11 mg/l	7553-56-2	iodine	
Freshwater sediment 3,99 mg/kg  Marine sediment 20,22 mg/kg  Micro-organisms in sewage treatment plants (STP) 11 mg/l	Freshwater		0,01813 mg/l
Marine sediment 20,22 mg/kg Micro-organisms in sewage treatment plants (STP) 11 mg/l	Marine water		0,06001 mg/l
Micro-organisms in sewage treatment plants (STP)  11 mg/l	Freshwater sediment		3,99 mg/kg
	Marine sediment 2		20,22 mg/kg
5 of malka	Micro-organisms in sewage treatment plants (STP)		11 mg/l
Soil 5,95 mg/kg		5,95 mg/kg	

### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection



according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 6 of 12

equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

goggles

Wear eye/face protection.

#### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: dark brown
Odour: odourless

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: No data available
Lower explosion limits: No data available
Upper explosion limits: No data available
Flash point: No data available
Auto-ignition temperature: No data available



according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 7 of 12

Decomposition temperature:

pH-Value:

Viscosity / kinematic:

Water solubility:

No data available

completely miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Vapour pressure:

No data available

Vapour pressure:

No data available

Density:

No data available

Bulk density:

No data available

Relative vapour density:

No data available

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties
Oxidizing

## Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
Corrosive to metals.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Corrosive to metals.

### 10.2. Chemical stability

Protect against: Light

### 10.3. Possibility of hazardous reactions

Alkali (lye)

## 10.4. Conditions to avoid

Light

### 10.5. Incompatible materials

Metal

The product develops hydrogen in an aqueous solution in contact with metals.



according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 8 of 12

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
7664-93-9	sulphuric acid				·			
	oral	LD50 mg/kg	2140	Rat	Am Ind Hyg Assoc J. 1969 Sep-Oct; 30(5):	The study was performed as part of a ser		
7681-11-0	potassium iodide							
	oral	LD50 mg/kg	3118	Rat	Study report (1980)	OECD Guideline 401		
7553-56-2	iodine							
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (2006)	EPA OPPTS 870.1200		
	inhalation vapour	ATE	11 mg/l					
	inhalation (4 h) dust/mist	LC50 mg/l	> 4,588	Rat	Study report (2008)	OECD Guideline 403		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (potassium iodide)

## **Aspiration hazard**

Based on available data, the classification criteria are not met.



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 9 of 12

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

#### Additional information on tests

There are no data available on the mixture itself.

#### **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### **Further information**

There are no data available on the mixture itself.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
7664-93-9	sulphuric acid							
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2009)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	0,025	65 d	Jordanella floridae	Water Research Vol. 11, 612 - 626, 1977	Groups of sexually mature flagfish	
7681-11-0	potassium iodide							
	Acute fish toxicity	LC50 mg/l	3780	96 h	Oncorhynchus mykiss	Publication (1995)	other: Protocol to d	
	Acute crustacea toxicity	EC50 mg/l	1,27	48 h	Daphnia magna	Study report (2012)	OECD Guideline 202	
7553-56-2	iodine							
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Oncorhynchus mykiss	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute algae toxicity	ErC50 mg/l	0,13	72 h	Desmodesmus subspicatus	Study report (2010)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	0,59	48 h	Daphnia magna	Publication (1995)	other: Ontario Ministry of the Environme	
	Acute bacteria toxicity	EC50	280 mg/l	3 h	activated sludge of a predominantly domestic sewag	Study report (2010)	OECD Guideline 209	

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 10 of 12

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7553-56-2	iodine	2,49

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3264
-------------------------------	---------

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 C1 Classification code: **Special Provisions:** 274 5 L Limited quantity: E1 Excepted quantity: Transport category: 3 80 Hazard No: Ε Tunnel restriction code:

## Inland waterways transport (ADN)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Classification code:C1Special Provisions:274



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 11 of 12

Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:223, 274Limited quantity:5 L

Limited quantity: 5 L

Excepted quantity: E1

EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3264

14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:1 L

Passenger LQ: Y841
Excepted quantity: E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

Marketing and use of explosives precursors (Regulation (EU) 2019/1148):

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant

disappearances and thefts should be reported to the relevant national contact point.

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

#### **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 12.



according to Regulation (EC) No 1907/2006

## lod-/Kaliumiodid-Lösung 2,5 g I2/I + 12,5 g KI/I in verdünnter Schwefelsäure

Revision: 30.05.2025 Product code: 32779 Page 12 of 12

### Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1
Acute Tox. 4: Acute toxicity, hazard category 4
Skin Corr. 1A: Skin corrosion, sub-category 1A
Skin Irrit. 2: Skin irritation, hazard category 2

Eve Dom. 1: Serious eve demand hazard category

Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3 STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
STOT RE 2; H373	Calculation method

#### Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs (thyroid gland) through prolonged or repeated exposure if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)