

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

UFI: HP5X-62R3-H00J-PP6A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

#### Uses advised against

Do not use for private purposes (household).

## 1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire,

<u>number:</u> Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

# **Further Information**

This product is a mixture. REACH Registration Number see section 3.

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aquatic Acute 1; H400 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



# **Hazard statements**

H411 Toxic to aquatic life with long lasting effects.

# **Precautionary statements**

P273 Avoid release to the environment.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 2 of 10

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## 2.3. Other hazards

No data available

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixtures in aqueous solution

### Relevant ingredients

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No 1272/2008)					
7761-88-8	silver nitrate					
	231-853-9	047-001-00-2	01-2119513705-43			
	Ox. Sol. 2, Met. Corr. 1, Skin Corr. 1B, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 1; H272 H290 H314 H318 H400 H410					

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
7761-88-8	231-853-9	silver nitrate	< 1 %
dermal: LD50 = > 348 mg/kg; oral: LD50 = > 2000 mg/kg Aquatic Acute 1; H400: M=1000 Aquatic Chronic 1; H410: M=100			

## **Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

# General information

No data available

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

### After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 3 of 10

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

no restriction

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NOx)

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Avoid contact with skin, eyes and clothes.

### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

**Emergency procedures** 

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

## For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

## Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.



according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 4 of 10

## 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Use personal protection equipment.

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

Do not breathe vapour/aerosol.

### Advice on protection against fire and explosion

Usual measures for fire prevention.

## Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

## Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Unsuitable container/equipment material: Metal

Protect against: Light

# Hints on joint storage

national regulations

# Further information on storage conditions

Keep container tightly closed.

storage temperature: +15°C - +25°C

## 7.3. Specific end use(s)

Laboratory chemicals

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
7761-88-8	silver nitrate				
Worker DNEL, long-term		inhalation	systemic	0,016 mg/m³	
Consumer DNEL, long-term		inhalation	systemic	0,006 mg/m³	
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day	



according to Regulation (EC) No 1907/2006

## Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 5 of 10

#### **PNEC values**

CAS No	Substance		
Environmental compartment		Value	
7761-88-8 silver nitrate			
Freshwater 0,00004		0,00004 mg/l	
Marine water		0,00086 mg/l	
Freshwater sediment		438,13 mg/kg	
Marine sediment		438,13 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,025 mg/l	
Soil	1,41 mg/kg		

#### 8.2. Exposure controls

### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Individual protection measures, such as personal protective equipment

## Eye/face protection

goggles

### Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

# **Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Environmental exposure controls**

Do not allow to enter into surface water or drains.



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 6 of 10

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Liquid Physical state: colourless Colour: odourless Odour:

No data available Melting point/freezing point: No data available Boiling point or initial boiling point and

boiling range:

No data available Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: No data available Decomposition temperature: No data available pH-Value: No data available Viscosity / kinematic: completely miscible Water solubility:

Solubility in other solvents No data available

Partition coefficient n-octanol/water: No data available No data available Vapour pressure: Vapour pressure: No data available ~1 g/cm<sup>3</sup> Density: No data available Bulk density: No data available Relative vapour density:

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties No data available

No data available Sustained combustibility:

Self-ignition temperature

No data available Solid: No data available Gas:

Oxidizing properties No data available

## Other safety characteristics

No data available Evaporation rate: No data available Solvent separation test: Solvent content: Solid content: Sublimation point: No data available No data available Softening point: No data available Pour point: No data available:

No data available Viscosity / dynamic: No data available Flow time:

#### **Further Information**

No data available



according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 7 of 10

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

### 10.2. Chemical stability

Protect against: Light

### 10.3. Possibility of hazardous reactions

No data available

## 10.4. Conditions to avoid

Light

### 10.5. Incompatible materials

Metal

## 10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

#### **Further information**

No data available

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
7761-88-8	silver nitrate					
	oral	LD50 :	> 2000	Rat	Study report (1993)	OECD Guideline 401
	dermal	LD50 : mg/kg	> 348	. 0	J. Vet. Med. Sci.73: 1417 - 1423. (2011)	OECD Guideline 434

## Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 8 of 10

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

There are no data available on the mixture itself.

## Additional information on tests

There are no data available on the mixture itself.

## **Practical experience**

There are no data available on the mixture itself.

### 11.2. Information on other hazards

#### Other information

There are no data available on the mixture itself.

#### **Further information**

There are no data available on the mixture itself.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
7761-88-8	silver nitrate						
	Acute fish toxicity	LC50 mg/l	0,0012	96 h	Pimephales promelas	Environmental Toxicology and Chemistry.	A guideline was not specified. The test
	Acute algae toxicity	ErC50 mg/l	0,0099	96 h	Pseudokirchneriella subcapitata	Environmental Science and Technology. 44	eline: U.S. Environmental Protection Age
	Acute crustacea toxicity	EC50 mg/l	0,00022	48 h	Daphnia magna	Environmental Toxicology and Chemistry.	The protective effect of reactive sulphi
	Fish toxicity	NOEC 0,00125 m	> ng/l	73 d	Oncorhynchus mykiss	Environmental Toxicology and Chemistry 2	other: ASTM 1241-98
	Algae toxicity	NOEC mg/l	0,0012	14 d	Champia parvula	in Bishop WE, Cardwell RD Heidolph BB (E	The toxicity tests lasted 11 days for th
	Crustacea toxicity	NOEC mg/l	0,00031	20 d	Isonychia bicolour	Environmental Toxicology and Chemistry.	20 day sublethal effects on representati

## 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## BCF

CAS No	Chemical name	BCF	Species	Source
7761-88-8	silver nitrate	70	Cyprinus carpio	Water, Air and Soil



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 9 of 10

## 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

Discharge into the environment must be avoided.

#### **Further information**

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

l and	trans	nort i	ADR	/PID/
Land	trans	DOLL (	AUR	(עוא/

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Special Provisions:	375

#### Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Air transport (ICAO-TI/IATA-DGR)

ir transport (ICAO-11/IA1A-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Special Provisions:	A197

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

## Silbernitratlösung 0,01 mol/l - 0,01 N Lösung

Revision: 14.11.2024 Product code: 32924 Page 10 of 10

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive

;

E1 Hazardous to the Aquatic Environment

2012/18/EU (SEVESO III):

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

### Abbreviations and acronyms

Ox. Sol. 2: Oxidising solids, hazard category 2
Met. Corr. 1: Corrosive to metals, hazard category 1
Skin Corr. 1B: Skin corrosion, sub-category 1B
Eye Dam. 1: Serious eye damage, hazard category 1

Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 2; H411	Calculation method

## Relevant H and EUH statements (number and full text)

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

### **Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)