

according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Reduktionslösung zum Versilbern von Lackfolien

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Company name: AnalytiChem GmbH

ACD

Street: Stempelstraße 6
Place: D-47167 Duisburg

Telephone: 0203/5194-0 Telefax: 0203/5194-290

E-mail: info@analytichem.de

Contact person: Abteilung Produktsicherheit Telephone: 0203/5194-107/117

E-mail: produktsicherheit@analytichem.de

Internet: www.analytichem.de

Responsible Department: Abteilung Produktsicherheit

1.4. Emergency telephone For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada:

Exposure, of Accident Call Official Title Day of Night Within Ook and Canada

1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls

accepted)

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208 Contains formaldehyde. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 2 of 11

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|---------|--|--------------|------------------|----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 50-00-0 | formaldehyde | | | |
| | 200-001-8 | 605-001-00-5 | 01-2119488953-20 | |
| | Carc. 1B, Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Skin Sens. 1; H350 H341 H331 H311 H301 H314 H317 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | | |
|---------|------------------|---|----------|--|--|--|
| | Specific Conc. L | Specific Conc. Limits, M-factors and ATE | | | | |
| 50-00-0 | 200-001-8 | formaldehyde | < 0.1 % | | | |
| | ATE = 300 mg/k | 0 = < 463 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: tg; oral: LD50 = 460 mg/kg | | | | |

Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 3 of 11

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

No data available

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Handle and open container with care.

Keep container tightly closed.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 4 of 11

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Wash contaminated clothing prior to re-use.

Do not breathe vapour/aerosol.

Avoid contact with skin, eyes and clothes.

Further information on handling

Wash contaminated clothing before reuse.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No data available

Further information on storage conditions

Store in a dry place.

7.3. Specific end use(s)

Laboratory chemicals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

| CAS No | Substance | ppm | mg/m³ | fib/cm³ | Category | Origin |
|---------|--------------|-----|-------|---------|---------------|--------|
| 50-00-0 | Formaldehyde | 0.3 | 0.37 | | TWA (8 h) | |
| | | 0.6 | 0.738 | | STEL (15 min) | |

DNEL/DMEL values

| CAS No | Substance | | | | | |
|--------------------------|--------------------------|------------|----------|------------------|--|--|
| DNEL type | DNEL type | | Effect | Value | | |
| 50-00-0 | formaldehyde | | | | | |
| Worker DNEL | , long-term | inhalation | systemic | 9 mg/m³ | | |
| Worker DNEL | Worker DNEL, long-term | | local | 0,375 mg/m³ | | |
| Worker DNEL | Worker DNEL, long-term | | systemic | 240 mg/kg bw/day | | |
| Consumer DN | Consumer DNEL, long-term | | systemic | 3,2 mg/m³ | | |
| Consumer DN | Consumer DNEL, long-term | | local | 0,1 mg/m³ | | |
| Consumer DNEL, long-term | | dermal | systemic | 102 mg/kg bw/day | | |
| Consumer DN | Consumer DNEL, long-term | | systemic | 4,1 mg/kg bw/day | | |
| Worker DNEL, acute | | inhalation | local | 0,75 mg/m³ | | |



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 5 of 11

PNEC values

| CAS No | Substance | | | | |
|--------------|--------------------------------------|-----------|--|--|--|
| Environment | tal compartment | Value | | | |
| 50-00-0 | formaldehyde | | | | |
| Freshwater | | 0,44 mg/l | | | |
| Freshwater (| intermittent releases) | 4,44 mg/l | | | |
| Marine water | r | 0,44 mg/l | | | |
| Freshwater s | sediment | 2,3 mg/kg | | | |
| Marine sedin | nent | 2,3 mg/kg | | | |
| Micro-organi | sms in sewage treatment plants (STP) | 0,19 mg/l | | | |
| Soil | | 0,2 mg/kg | | | |

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

goggles

Hand protection

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with permanent contact: >480min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11mm Wearing time with occasional contact (splashes): >480min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Wash hands before breaks and after work.

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 6 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: clear
Odour: odourless

Odour threshold: No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

No data available Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: Decomposition temperature: No data available No data available pH-Value: No data available Viscosity / kinematic: Water solubility: No data available

Solubility in other solvents

No data available

No data available Dissolution rate: No data available Partition coefficient n-octanol/water: No data available Dispersion stability: No data available Vapour pressure: No data available Vapour pressure: No data available Density: Relative density: No data available No data available Bulk density: No data available Relative vapour density: Particle characteristics: No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility: No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available

Solvent content:

Solid content:

Sublimation point:

No data available

No data available

No data available

No data available

Pour point:

No data available

No data available:



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 7 of 11

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no data available on the mixture itself.

10.2. Chemical stability

There are no data available on the mixture itself.

10.3. Possibility of hazardous reactions

There are no data available on the mixture itself.

10.4. Conditions to avoid

There are no data available on the mixture itself.

10.5. Incompatible materials

There are no data available on the mixture itself.

10.6. Hazardous decomposition products

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | | | |
|---------|-------------------------|---------------|----------|---------|---------------------|-------------|--------------------|--|
| | Exposure route | Dose | | Species | Source | | Method | |
| 50-00-0 | formaldehyde | | | | | | | |
| | oral | LD50 mg/kg | 460 | Rat | Kefo J Me (1975) | d 24: 19-37 | OECD Guideline 401 | |
| | dermal | ATE mg/kg | 300 | | | | | |
| | inhalation (4 h) vapour | LC50 mg/l | < 463 | Rat | Study repo | ort (2015) | OECD Guideline 403 | |
| | inhalation dust/mist | ATE | 0,5 mg/l | | | | | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 8 of 11

Sensitising effects

Based on available data, the classification criteria are not met.

Contains formaldehyde. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

There are no data available on the mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 9 of 11

| CAS No | Chemical name | | | | | | |
|---------|--------------------------|---------------|-----------|-----------|-------------------------|--|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 50-00-0 | formaldehyde | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 27,57 | 96 h | Ictalurus punctatus | Prog.Fish-Cult. 20(1):8-15 (1958) | acute toxicity test; "static bioassay" |
| | Acute algae toxicity | ErC50 mg/l | 3,48 | 72 h | Desmodesmus subspicatus | Ecotoxicol Environ Safety 54: 346-354 (2 | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 | 5,8 mg/l | 48 h | Daphnia pulex | Water, Air and Soil Pollution 97, 315-32 | OECD Guideline 202 |
| | Fish toxicity | NOEC mg/l | >= 48 | 28 d | Oryzias latipes | NTIS (ed.) Compendium of the FY1988 and | OECD Guideline 215 |
| | Crustacea toxicity | NOEC mg/l | >= 6,4 | 21 d | Daphnia magna | Study report (2008) | OECD Guideline 211 |
| | Acute bacteria toxicity | EC50 | 19 mg/l (| 3 h | Activated sludge | Chemosphere 14, 1239-1251 (1985) | OECD Guideline 209 |

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|---------------|---------|
| 50-00-0 | formaldehyde | 0,35 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|---------|---------------|-----|----------------------------|----------------------|
| 50-00-0 | formaldehyde | < 1 | Paralichthys olivaceus and | Aquaculture 194, 253 |
| | | | Sebastes schlegeli | |

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

There are no data available on the mixture itself.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 10 of 11

Contaminated packaging

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

Additional information

No data available

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

Reduktionslösung zum Versilbern von Lackfolien

Revision: 23.10.2023 Product code: 34576 Page 11 of 11

Abbreviations and acronyms

Acute Tox. 3: Acute toxicity, hazard category 3 Skin Corr. 1B: Skin corrosion, sub-category 1B Skin Sens. 1: Skin sensitisation, hazard category 1 Muta. 2: Germ cell mutagenicity, hazard category 2 Carc. 1B: Carcinogenicity, hazard category 1B

Relevant H and EUH statements (number and full text)

| H301 | Toxic if swallowed. |
|------|-----------------------------|
| H311 | Toxic in contact with skin. |

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

EUH208 Contains formaldehyde. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)