

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 1 of 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O

UFI: 9MX3-035D-T00W-73KS

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet**

Company name:	AnalytiChem GmbH	
	ACD	
Street:	Stempelstraße 6	
Place:	D-47167 Duisburg	
Telephone:	0203/5194-0	Telefax: 0203/5194-290
E-mail:	info@analytichem.de	
Contact person:	Abteilung Produktsicherheit	Telephone: 0203/5194-107/117
E-mail:	produktsicherheit@analytichem.de	
Internet:	www.analytichem.de	
Responsible Department:	Abteilung Produktsicherheit	

**1.4. Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Acute Tox. 4; H302  
Skin Corr. 1B; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008**

**Hazard components for labelling**  
phosphoric acid

**Signal word:** Danger**Pictograms:**

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 2 of 12

**Hazard statements**

- H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**

- P260 Do not breathe mist/vapours/spray.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7664-38-2	phosphoric acid			35 - < 40 %
	231-633-2	015-011-00-6	01-2119485924-24	
	Met. Corr. 1, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H290 H302 H314 H318			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7664-38-2	231-633-2	phosphoric acid	35 - < 40 %
	oral: ATE = 500 mg/kg Skin Corr. 1B; H314: >= 25 - 100 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

Call a physician immediately.

**After contact with skin**

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 3 of 12

Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Remove contact lenses, if present and easy to do. Continue rinsing.

Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting. Do not allow a neutralisation agent to be drunk.

Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes burns.

Irritant

Cough

Dyspnoea

Spasms

Abdominal pain

Conjunctival oedema (chemosis).

Risk of serious damage to eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Phosphorus oxides

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

Avoid contact with skin, eyes and clothes.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 4 of 12

Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Read label before use. Handle and open container with care.  
When using do not eat, drink, smoke, sniff. Use personal protection equipment.  
Provide adequate ventilation. Avoid contact with skin, eyes and clothes.  
Do not breathe vapour/aerosol.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately.  
Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink. Avoid: aerosol or mist formation Do not breathe vapour/aerosol.

**Further information on handling**

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Corrosive to metals.  
Unsuitable container/equipment material: Metal, Light metal

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 5 of 12

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Keep container tightly closed.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7664-38-2	Orthophosphoric acid	-	1		TWA (8 h)	
		-	2		STEL (15 min)	

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
7664-38-2	phosphoric acid			
Worker DNEL, acute		inhalation	local	2 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	2,92 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	systemic	4,57 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	0,36 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	0,1 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	10,7 mg/m <sup>3</sup>

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

Wear eye/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 741 Dermatril® L

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 6 of 12

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: &gt; 480 min

By short-term hand contact

Trade name/designation: KCL 741 Dermatril® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): &gt; 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing. Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

Filtering device with filter or ventilator filtering device of type: P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Thermal hazards**

No data available

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid	
Colour:	colourless	
Odour:	odourless	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		No data available
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		completely miscible
Solubility in other solvents		
No data available		
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 7 of 12

Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 20 °C):	No data available
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes****Explosive properties**

The product develops hydrogen in an aqueous solution in contact with metals.

Sustained combustibility: No data available

**Self-ignition temperature**

Solid: No data available

Gas: No data available

**Oxidizing properties**

Oxidizing

**Other safety characteristics**

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: 0%

Solid content: 0%

Sublimation point: No data available

Softening point: No data available

Pour point: No data available

No data available:

Viscosity / dynamic: No data available

Flow time: No data available

**Further Information**

Corrosive to metals.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Alkali (lye)

metals

The product develops hydrogen in an aqueous solution in contact with metals.

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

Metal, Aluminium, iron and steel

The product develops hydrogen in an aqueous solution in contact with metals.

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 8 of 12

**SECTION 5: Firefighting measures****Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Harmful if swallowed.

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

Inhalation effect: Damage to the respiratory tract.

**ATEmix calculated**

ATE (oral) 1355 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7664-38-2	phosphoric acid				
	oral	ATE 500 mg/kg			

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards**



**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 9 of 12

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other information**

There are no data available on the mixture itself.

**Further information**

Causes burns.  
Irritant  
Cough  
Dyspnoea  
Spasms  
Abdominal pain  
Conjunctival oedema (chemosis).  
Risk of serious damage to eyes.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7664-38-2	phosphoric acid					
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	Study report (2010)	OECD Guideline 202
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209

**12.2. Persistence and degradability**

The methods for determining the biological degradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Harmful effect due to pH shift.  
Forms corrosive mixtures with water even if diluted.

**Further information**

Do not allow to enter into surface water or drains.  
Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 10 of 12

**Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not allow to enter into surface water or drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1805
<b>14.2. UN proper shipping name:</b>	PHOSPHORIC ACID, SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1805
<b>14.2. UN proper shipping name:</b>	PHOSPHORIC ACID, SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Classification code:	C1
Limited quantity:	5 L
Excepted quantity:	E1

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1805
<b>14.2. UN proper shipping name:</b>	PHOSPHORIC ACID SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	223
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1805
<b>14.2. UN proper shipping name:</b>	PHOSPHORIC ACID SOLUTION
<b>14.3. Transport hazard class(es):</b>	8
<b>14.4. Packing group:</b>	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1

according to Regulation (EC) No 1907/2006

**Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O**

Revision: 23.09.2025

Product code: 35008

Page 11 of 12

IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	856
IATA-max. quantity - Cargo:	60 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive  
2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,8,9,11.

**Abbreviations and acronyms**

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 4: Acute toxicity, hazard category 4

Skin Corr. 1B: Skin corrosion, sub-category 1B

Eye Dam. 1: Serious eye damage, hazard category 1

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 4; H302	Calculation method
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Phosphoric acid etching solution "OP148" 93 ml H<sub>3</sub>PO<sub>4</sub> 85 % + 207 ml H<sub>2</sub>O

Revision: 23.09.2025

Product code: 35008

Page 12 of 12

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*