

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium azide**

Revision: 27.10.2025

Product code: AC14.00369

Page 1 of 13

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Sodium azide

REACH Registration Number: 01-2119457019-37-XXXX  
CAS No: 26628-22-8  
Index No: 011-004-00-7  
EC No: 247-852-1

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: P-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
E-mail: info@analytichem.de  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.de  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 2 of 13

**1.4. Emergency telephone number:** +353 1 901 4670 (CHEMTREC)

**Further Information**

No data available

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Acute Tox. 1; H310  
Acute Tox. 2; H330  
Acute Tox. 2; H300  
STOT RE 2; H373  
Aquatic Acute 1; H400  
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.  
H373 May cause damage to organs (brain) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P262 Do not get in eyes, on skin, or on clothing.  
P280 Wear protective gloves/protective clothing and eye protection/face protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

**Special labelling of certain mixtures**

EUH032 Contact with acids liberates very toxic gas.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Sum formula:  $\text{NaN}_3$   
Molecular weight: 65,01 g/mol

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 3 of 13

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
26628-22-8	sodium azide			100 %
	247-852-1	011-004-00-7	01-2119457019-37-XXXX	
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410 EUH032			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
26628-22-8	247-852-1	sodium azide	100 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = > 0,054 - < 0,52 mg/l (dusts or mists); dermal: ATE = 5 mg/kg; oral: ATE = 5 mg/kg		

## Further Information

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

Self-protection of the first aider

## After inhalation

Provide fresh air.

Call a physician immediately.

## After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

Call a physician immediately.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

## After ingestion

Rinse mouth immediately and drink plenty of water.

(Water, to which activated charcoal may be added)

Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Irritant, Cough

Dyspnoea, Dizziness

Gastrointestinal complaints, Vomiting

Circulatory collapse, Unconsciousness

Headache, Spasms

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available

## SECTION 5: Firefighting measures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium azide**

Revision: 27.10.2025

Product code: AC14.00369

Page 4 of 13

**5.1. Extinguishing media****Suitable extinguishing media**

Dry sand  
Cement

**Unsuitable extinguishing media**

Water  
Foam

**5.2. Special hazards arising from the substance or mixture**

Combustible solids  
Danger of dust explosion.  
Hazardous combustion products  
In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>)

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.  
Avoid contact with skin, eyes and clothes.

**Additional information**

Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).  
Collect in closed and suitable containers for disposal.  
Take up carefully when dry. Take up dust-free and set down dust-free.

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 5 of 13

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling****Advice on safe handling**

Avoid exposure - obtain special instructions before use.  
Keep container dry. Do not allow contact with water.  
If handled uncovered, arrangements with local exhaust ventilation have to be used.  
Avoid dust formation.  
Do not breathe dust.  
Read label before use.  
Use extractor hood (laboratory).

**Advice on protection against fire and explosion**

Danger of dust explosion.

**Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Draw up and observe skin protection programme.  
Wash hands and face before breaks and after work and take a shower if necessary.  
Take off immediately all contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a dry place.  
Store in a place accessible by authorized persons only.

**Hints on joint storage**

national regulations

**Further information on storage conditions**

Store in a well-ventilated place. Keep container tightly closed.  
storage temperature +15°C - +25°C

**7.3. Specific end use(s)**

Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters****Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
26628-22-8	Sodium azide (as NaN <sub>3</sub> )	-	0.1		TWA (8 h)	
		-	0.3		STEL (15 min)	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 6 of 13

## DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
26628-22-8	sodium azide			
Consumer DNEL, long-term		oral	systemic	0,0167 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	0,164 mg/m³
Worker DNEL, long-term		dermal	systemic	0,0467 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,0167 mg/kg bw/day

## PNEC values

CAS No	Substance	
Environmental compartment	Value	
26628-22-8	sodium azide	
Freshwater	0,00035 mg/l	
Freshwater (intermittent releases)	0,0035 mg/l	
Freshwater sediment	0,0167 mg/kg	
Marine sediment	0,00072 mg/kg	
Micro-organisms in sewage treatment plants (STP)	0,03 mg/l	

## 8.2. Exposure controls

## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation as well as local exhaust at critical locations.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Suitable eye protection: goggles.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation KCL 741 Dermatrill® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatrill® L

Recommended material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium azide**

Revision: 27.10.2025

Product code: AC14.00369

Page 7 of 13

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Respiratory protection necessary at: dust formation

Filtering device with filter or ventilator filtering device of type: P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	white
Odour:	odourless
Odour threshold:	not determined
Melting point/freezing point:	275 °C
Boiling point or initial boiling point and boiling range:	not determined
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	>275 °C
pH-Value:	not determined
Viscosity / kinematic:	not determined
Water solubility: (at 17 °C)	420 g/l
Solubility in other solvents	not determined
Dissolution rate:	not determined
Partition coefficient n-octanol/water:	log Pow: 0,3
Dispersion stability:	not determined
Vapour pressure:	not determined
Vapour pressure:	not determined
Density:	1,85 g/cm <sup>3</sup>
Relative density:	not determined
Bulk density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not determined

**9.2. Other information**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium azide**

Revision: 27.10.2025

Product code: AC14.00369

Page 8 of 13

**Information with regard to physical hazard classes**

## Explosive properties

Danger of dust explosion.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

## Sustained combustibility:

No data available

## Self-ignition temperature

Solid:

not determined

Gas:

not applicable

## Oxidizing properties

No data available

**Other safety characteristics**

Evaporation rate:

not determined

Solvent separation test:

not determined

Solvent content:

not determined

Solid content:

100%

Sublimation point:

not determined

Softening point:

not determined

Pour point:

not determined

not determined:

Viscosity / dynamic:

not determined

Flow time:

not determined

**Further Information**

not determined

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Danger of dust explosion.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Heavy metals, Bromine

Acid, Dichloromethane

Dimethyl sulphate, Carbon disulfide

sulphuric acid, Copper

Lead, Water

**10.4. Conditions to avoid**

Do not allow contact with water.

Heat

**10.5. Incompatible materials**

Aluminium

Heavy metals

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 9 of 13

## Further information

No data available

## SECTION 11: Toxicological information

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Toxicokinetics, metabolism and distribution

Avoid exposure - obtain special instructions before use.

## Acute toxicity

Fatal in contact with skin.

Fatal if inhaled.

Fatal if swallowed.

Contact with acids liberates very toxic gas.

May cause respiratory irritation.

Pulmonary oedema

Mucous membrane irritation in the mouth, throat, esophagus and gastrointestinal tract.

The substance has delayed effects.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
26628-22-8	sodium azide				
	oral	ATE 5 mg/kg			
	dermal	ATE 5 mg/kg			
	inhalation vapour	ATE 0,5 mg/l			
	inhalation (4 h) dust/mist	LC50 > 0,054 - < 0,52 mg/l	Rat	Study report (2009)	EPA OPPTS 870.1300

## Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.  
slightly irritant but not relevant for classification.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (sodium azide)

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Information on likely routes of exposure

No data available

## Specific effects in experiment on an animal

No data available

## Additional information on tests

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 10 of 13

**Practical experience**

No data available

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

No data available

**Further information**

Irritant, Cough

Dyspnoea, Dizziness

Gastrointestinal complaints, Vomiting

Circulatory collapse, Unconsciousness

Headache, Spasms

**SECTION 12: Ecological information****12.1. Toxicity**

CAS No	Chemical name						
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method	
26628-22-8	sodium azide						
	Acute fish toxicity	LC50 mg/l	5,46	96 h	Pimephales promelas	Center for Lake Superior Environmental S	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	0,35	96 h	Pseudokirchneriella subcapitata	REACH Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50	5 mg/l	48 h	Gammarus fasciatus	REACH Registration Dossier	other: EPA/600/R-95-13 6: Short-term meth
	Acute bacteria toxicity	EC50 mg/l ( )	79,3	3 h	Activated sludge	Study report (2017)	OECD Guideline 209

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

log Pow: 0,3

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects**

Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 11 of 13

**13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not mix with other wastes.

Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number or ID number:</b>	UN 1687
<b>14.2. UN proper shipping name:</b>	SODIUM AZIDE
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Classification code:	T5
Limited quantity:	500 g
Excepted quantity:	E4
Transport category:	2
Tunnel restriction code:	E

**Inland waterways transport (ADN)**

<b>14.1. UN number or ID number:</b>	UN 1687
<b>14.2. UN proper shipping name:</b>	SODIUM AZIDE
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Classification code:	T5
Special Provisions:	802
Limited quantity:	500 g
Excepted quantity:	E4

**Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1687
<b>14.2. UN proper shipping name:</b>	SODIUM AZIDE
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Special Provisions:	-
Limited quantity:	500 g
Excepted quantity:	E4
EmS:	F-A, S-A

**Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1687
<b>14.2. UN proper shipping name:</b>	SODIUM AZIDE
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Limited quantity Passenger:	1 kg

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Sodium azide

Revision: 27.10.2025

Product code: AC14.00369

Page 12 of 13

Passenger LQ:	Y644	
Excepted quantity:	E4	
IATA-packing instructions - Passenger:		669
IATA-max. quantity - Passenger:		25 kg
IATA-packing instructions - Cargo:		676
IATA-max. quantity - Cargo:		100 kg

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	sodium azide

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Information according to Directive 2012/18/EU (SEVESO III):	H1 ACUTE TOXIC
Additional information:	E1

**National regulatory information**

Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Water hazard class (D):	2 - obviously hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2.

**Abbreviations and acronyms**

Acute Tox. 1: Acute toxicity, hazard category 1  
STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2  
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%

**Relevant H and EUH statements (number and full text)**

H300	Fatal if swallowed.
H300+H310+H330	Fatal if swallowed, in contact with skin or if inhaled.
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H373	May cause damage to organs (brain) through prolonged or repeated exposure if swallowed.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Sodium azide**

Revision: 27.10.2025

Product code: AC14.00369

Page 13 of 13

H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users