

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub> 65 %/l i

Revision: 12.11.2024

Product code: AC15.01626

Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub> 65 %/l i

UFI: 8WEG-D0UC-T00G-MAY2

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Reagents and laboratory chemicals  
Only for laboratory and analysis purposes.

###### Uses advised against

Do not use for private purposes (household).

##### 1.3. Details of the supplier of the safety data sheet

###### Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: P-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

###### Supplier or manufacturer details

Company name: AnalytiChem GmbH  
Street: Stempelstraße 6  
Place: D-47167 Duisburg  
Telephone: 0203/5194-0  
E-mail: info@analytichem.de  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.de  
Responsible Department: AnalytiChem:  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333  
+353 1 901 4670 (CHEMTREC)

Telefax: 0203/5194-290

##### 1.4. Emergency telephone number:

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 2 of 13

**Further Information**

This product is a mixture. REACH Registration Number see section 3.

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Met. Corr. 1; H290  
Acute Tox. 3; H331  
Skin Corr. 1A; H314  
Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

nitric acid

**Signal word:** Danger**Pictograms:****Hazard statements**

H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H331 Toxic if inhaled.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 IF exposed or concerned:  
P310 Immediately call a POISON CENTER/doctor.

**Special labelling of certain mixtures**

EUH071 Corrosive to the respiratory tract.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 3 of 13

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7697-37-2	nitric acid			35 - < 40 %
	231-714-2	007-030-00-3	01-2119487297-23	
	Ox. Liq. 3, Met. Corr. 1, Acute Tox. 3, Skin Corr. 1A, Eye Dam. 1; H272 H290 H331 H314 H318 EUH071			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7697-37-2	231-714-2	nitric acid	35 - < 40 %
	inhalation: ATE 2,65 mg/l (vapours) Ox. Liq. 3; H272: >= 65 - 100 Skin Corr. 1A; H314: >= 20 - 100 Skin Corr. 1B; H314: >= 5 - < 20		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

**After inhalation**

Provide fresh air. Medical treatment necessary.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritant — skin irritation and eye damage  
Causes burns.  
Cough  
Dyspnoea  
Risk of serious damage to eyes.  
Vomiting  
Methaemoglobinaemia

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 4 of 13

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

no restriction

**5.2. Special hazards arising from the substance or mixture**

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Nitrogen oxides (NO<sub>x</sub>)

Sulphur oxides

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Do not inhale explosion and combustion gases.

Avoid contact with skin, eyes and clothes.

**Additional information**

Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Move undamaged containers from immediate hazard area if it can be done safely.

Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Corrosive to metals.

**For non-emergency personnel**

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

Clean contaminated articles and floor according to the environmental legislation.

**6.3. Methods and material for containment and cleaning up****For containment**

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub> 65 %/l i

Revision: 12.11.2024

Product code: AC15.01626

Page 5 of 13

#### Other information

- Provide adequate ventilation.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.4. Reference to other sections

- Safe handling: see section 7
- Personal protection equipment: see section 8
- Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

- If handled uncovered, arrangements with local exhaust ventilation have to be used.
- Read label before use. Handle and open container with care.
- When using do not eat, drink, smoke, sniff. Keep container tightly closed.
- Use personal protection equipment. Use extractor hood (laboratory).
- Provide adequate ventilation.
- Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

- Usual measures for fire prevention.

#### Advice on general occupational hygiene

- Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.
- The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

- Draw up and observe skin protection programme.
- Wash hands and face before breaks and after work and take a shower if necessary.
- Take off immediately all contaminated clothing and wash it before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

- Keep container tightly closed.
- Provide adequate ventilation as well as local exhaustion at critical locations.
- Keep in a cool place.

#### Hints on joint storage

- national regulations

#### Further information on storage conditions

- Unsuitable container/equipment material: Metal
- Protect against: Light

### 7.3. Specific end use(s)

- Laboratory chemicals

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 6 of 13

**Occupational exposure limits**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	

**8.2. Exposure controls****Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Suitable eye protection:  
Face protection shield  
goggles.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: [vertrieb@kcl.de](mailto:vertrieb@kcl.de) With specification (test according to EN374):

By long-term hand contact

Trade name/designation: KCL 897 Butoject®

Suitable material: Butyl caoutchouc (butyl rubber) 0,3 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation: KCL 720 Camapren®

Suitable material: CR (polychloroprene, chloroprene rubber) 0,65 mm

Wearing time with occasional contact (splashes): > 240 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub> 65 %/l i

Revision: 12.11.2024

Product code: AC15.01626

Page 7 of 13

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	stinging	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:		No data available
Flammability:		not applicable
Lower explosion limits:		No data available
Upper explosion limits:		No data available
Flash point:		X
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		acidic
Viscosity / kinematic:		No data available
Water solubility:		No data available
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		No data available
Vapour pressure:		No data available
Vapour pressure:		No data available
Density:		~1,425 g/cm <sup>3</sup>
Bulk density:		No data available
Relative vapour density:		No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties	
No data available	
Self-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Oxidizing properties	
The product is: oxidising, Oxidising.	

#### Other safety characteristics

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

#### Further Information

No data available

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 8 of 13

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Corrosive to metals. oxidising, Oxidising.

**10.2. Chemical stability**

Protect against: Light

**10.3. Possibility of hazardous reactions**

Exothermic reaction with: Combustible substance, Alkali metals, Alkaline earth metal, Heavy metals, Metal powder, Acid, Base.

Risk of ignition or formation of inflammable gases or vapours with: formaldehyde, glycerol, sulphuric acid, hydrogen iodide, chlorates, Organic Substances, carbon/soot, Hydrocarbons, Alkali metals, lithium silicide, organic solvent, phosphorus, pyridine, sulfur dioxide, hydrogen sulfide, hydrogen peroxide, acetonitrile, acetylidene, Alcohols, anilines, antimony hydride, arsenic hydride, Amines, Ammonia, combustible substances, phosphides, Aldehydes, dichloromethane, hydrazines, Dioxane, acetic acid, Acetone, Acetic anhydride, Fluorine, Powdered metals Violent reactions possible with: Nitriles, antimony, arsenic, Boron, ferric oxide, alkalines, sodium hypochlorite

**10.4. Conditions to avoid**

Heat

Light

**10.5. Incompatible materials**

Keep away from: Metal. Keep away from combustible material.

Cellulose

The product develops hydrogen in an aqueous solution in contact with metals. Nitrogen oxides (NO<sub>x</sub>)**10.6. Hazardous decomposition products**

In case of fire may be liberated:

SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Toxic if inhaled.

**ATEmix calculated**

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) 7,540 mg/l; ATE (inhalation dust/mist) 1,257 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7697-37-2	nitric acid				
	inhalation vapour	ATE 2,65 mg/l			



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 9 of 13

**Irritation and corrosivity**

Skin corrosion/irritation: Causes severe skin burns and eye damage.

Serious eye damage/eye irritation: Causes serious eye damage.

Corrosive to the respiratory tract.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

Adverse human health effects and symptoms

gastric perforation

Pulmonary oedema

Inhalation effect: Damage to the respiratory tract.

see also Section 4

**Further information**

There are no data available on the mixture itself.

**SECTION 12: Ecological information****12.1. Toxicity**

Based on available data, the classification criteria are not met.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 10 of 13

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
7697-37-2	nitric acid					
	Acute fish toxicity	LC50 1559 mg/l	96 h	Topeka shiner	Environmental Toxicology and Chemistry,	other: ASTM E729-26
	Fish toxicity	NOEC 268 mg/l	30 d	juvenile Topeka shiner and with juvenile Fathead m	Study report (2009)	Growth tests estimated the test chemical
	Algae toxicity	NOEC > 419 mg/l	10 d	several benthic diatoms; see results	Marine Biology 43:307-315 (1977)	Ten cultures of benthic diatoms were iso
	Acute bacteria toxicity	EC50 > 1000 mg/l ( )	3 h	Activated sludge	Study report (2008)	OECD Guideline 209

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Harmful effect due to pH shift.  
Forms corrosive mixtures with water even if diluted.  
Discharge into the environment must be avoided.

**Further information**

Do not allow to enter into surface water or drains.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.  
Send to a physico-chemical treatment facility under observation of official regulations.  
Do not empty into drains.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.  
The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:** UN 2031

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub> 65 %/l i

Revision: 12.11.2024

Product code: AC15.01626

Page 11 of 13

**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Classification code: C1  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 80  
Tunnel restriction code: E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Classification code: C1  
Limited quantity: 1 L  
Excepted quantity: E2

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Special Provisions: -  
Limited quantity: 1 L  
Excepted quantity: E2  
EmS: F-A, S-B

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 2031  
**14.2. UN proper shipping name:** NITRIC ACID  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8  
Special Provisions: A212  
Limited quantity Passenger: Forbidden  
Passenger LQ: Forbidden  
Excepted quantity: E0  
IATA-packing instructions - Passenger: Forbidden  
IATA-max. quantity - Passenger: Forbidden  
IATA-packing instructions - Cargo: 855  
IATA-max. quantity - Cargo: 30 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Oxidising substances. strongly corrosive.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 12 of 13

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 65, Entry 75

Marketing and use of explosives precursors (Regulation (EU) 2019/ 1148):

Acquisition, introduction, possession or use of this product by the general public is restricted by Regulation (EU) 2019/1148. All suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D):

1 - slightly hazardous to water

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,9,12.

**Abbreviations and acronyms**

Ox. Liq. 3: Oxidising liquids, hazard category 3

Met. Corr. 1: Corrosive to metals, hazard category 1

Acute Tox. 3: Acute toxicity, hazard category 3

Skin Corr. 1A: Skin corrosion, sub-category 1A

Eye Dam. 1: Serious eye damage, hazard category 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Acute Tox. 3; H331	Calculation method
Skin Corr. 1A; H314	Calculation method
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Ammonium iron(III) sulfate solution 120 g/l pure 120 g (NH<sub>4</sub>)Fe(SO<sub>4</sub>)<sub>2</sub> \* 12 H<sub>2</sub>O + 623 ml HNO<sub>3</sub>  
65 %/l i**

Revision: 12.11.2024

Product code: AC15.01626

Page 13 of 13

H331

Toxic if inhaled.

EUH071

Corrosive to the respiratory tract.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Provide appropriate information, instructions and training to users

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*