

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 1 of 14

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Cadmium acetate 5% in Acetic acid 5% sol

UFI: XVM8-A08K-Y002-P7MG

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

**Uses advised against**

Do not use for private purposes (household).

**1.3. Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company name: AnalytiChem Services, Unipessoal, Lda  
Street: Rua de Júlio Dinis 676 7º  
Place: N-4050-320 Porto  
Telephone: +351 226002917  
E-mail: info@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Internet: www.analytichem.com  
Responsible Department: SDS service department

**Supplier or manufacturer details**

Company name: AnalytiChem Belgium NV  
Street: Industriezone "De Arend" 2  
Place: B-8210 Zedelgem  
Telephone: +32 50 28 83 20  
E-mail: info.be@analytichem.com  
Contact person: SDS service department  
E-mail: SDS@analytichem.com  
Responsible Department: AnalytiChem  
EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem, Belgium, +32 50 28 83 20  
EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg, Germany, +49 203 51 94 – 200  
EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG Mijdrecht, The Netherlands, +31 297 286848  
UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester, OX26 4XB, England, +44 1869 355 500  
USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States, +1 800-244-8378  
Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X 4B6, Canada, +1 514-457-0701  
Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater North, 3153, Australia, +61 3 9729 0333

**1.4. Emergency telephone****number:**

+44 20 3807 3798 (CHEMTREC)

**Further Information**

inapplicable, this product is a mixture REACH registration number see section 3

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 2 of 14

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Carc. 1B; H350  
Muta. 1B; H340  
Acute Tox. 3; H331  
Acute Tox. 4; H302  
STOT RE 2; H373  
Aquatic Acute 1; H400  
Aquatic Chronic 1; H410

Full text of hazard statements: see SECTION 16.

**2.2. Label elements****Regulation (EC) No 1272/2008****Hazard components for labelling**

Cadmium acetate dihydrate

Signal word: Danger

Pictograms:

**Hazard statements**

H302	Harmful if swallowed.
H331	Toxic if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

**Special labelling**

Restricted to professional users.

**2.3. Other hazards**

No data available

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixtures in aqueous solution

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 3 of 14

**Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64-19-7	acetic acid			5 - < 10 %
	200-580-7	607-002-00-6	01-2119475328-30	
	Flam. Liq. 3, Skin Corr. 1A, Eye Dam. 1; H226 H314 H318			
5743-04-4	Cadmium acetate dihydrate			5 - < 10 %
	208-853-2	048-001-00-5		
	Carc. 1A, Muta. 1B, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, STOT RE 1, Aquatic Acute 1, Aquatic Chronic 1; H350 H340 H332 H312 H302 H372 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64-19-7	200-580-7	acetic acid	5 - < 10 %
	oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25		
5743-04-4	208-853-2	Cadmium acetate dihydrate	5 - < 10 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=10		

**Further Information**

This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of = 0.1 % (w/w).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Call a physician immediately.

**After contact with skin**

Wash immediately with: Water  
Take off immediately all contaminated clothing and wash it before reuse.  
Call a physician immediately.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.  
Remove contact lenses, if present and easy to do. Continue rinsing.  
Protect uninjured eye.

**After ingestion**

Rinse mouth immediately and drink plenty of water. (Water, to which activated charcoal may be added )  
Call a physician immediately.

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 4 of 14

**4.2. Most important symptoms and effects, both acute and delayed**

Cyanosis (blue coloured blood)  
Fever  
Gastrointestinal complaints  
Vomiting  
Circulatory collapse  
Headache  
Spasms

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

**Suitable extinguishing media**  
Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**  
no restriction

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products  
In case of fire may be liberated:  
Metal oxide smoke, toxic  
Acetic acid - vapour

**5.3. Advice for firefighters**

Do not inhale explosion and combustion gases.  
Avoid contact with skin, eyes and clothes.  
In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Suppress gases/vapours/mists with water spray jet.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Move undamaged containers from immediate hazard area if it can be done safely.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Provide adequate ventilation.  
Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.  
Remove persons to safety.  
Emergency procedures  
Consult an expert  
Do not breathe dust/fume/gas/mist/vapours/spray.

**For emergency responders**

Precautionary statements For emergency responders : Personal protection equipment: see section 8

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

**For containment**  
Cover drains.

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 5 of 14

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

**For cleaning up**

Clean contaminated articles and floor according to the environmental legislation.

**Other information**

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Read label before use. Handle and open container with care.

Do not breathe vapour/aerosol.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Usual measures for fire prevention.

**Advice on general occupational hygiene**

Keep away from food, drink and animal feedingstuffs. Make available sufficient washing facilities

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Further information on handling**

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store in a well-ventilated place. Keep container tightly closed.

Store in a place accessible by authorized persons only.

**Hints on joint storage**

Take national regulations into account.

**Further information on storage conditions**

Store in a dry place.

**7.3. Specific end use(s)**

Laboratory chemicals

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 6 of 14

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	WEL
		20	50		STEL (15 min)	WEL

**DNEL/DMEL values**

CAS No	Substance	Exposure route	Effect	Value
DNEL type				
64-19-7	acetic acid			
Worker DNEL, long-term		inhalation	local	25 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	25 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	25 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	25 mg/m <sup>3</sup>

**PNEC values**

CAS No	Substance	Environmental compartment	Value
64-19-7	acetic acid	Freshwater	3,058 mg/l
		Freshwater (intermittent releases)	30,58 mg/l
		Marine water	0,306 mg/l
		Freshwater sediment	11,36 mg/kg
		Marine sediment	1,136 mg/kg
		Micro-organisms in sewage treatment plants (STP)	85 mg/l
		Soil	0,47 mg/kg

**Additional advice on limit values**

Cadmiumacetat-Dihydrat (5743-04-4)

TRGS 910

Überschreitungsfaktor: Spitzenbegrenzungswert 8

Faktor, um den der mittlere Schichtwert vier Mal je Schicht für eine maximale Dauer von jeweils 15 Minuten überschritten werden kann.

Art der Exposition: Einatembare fraktion.

Toleranzkonzentration (4 x 10-3):

1ug/m3

Art der Exposition: Einatembare fraktion.

Akzeptanzkonzentration (4 x 10-4):

0,16ug/m3

Art der Exposition: Alveolengängige Fraktion.

Überschreitungsfaktor: Spitzenbegrenzungswert 8

Faktor, um den der mittlere Schichtwert vier Mal je Schicht für eine maximale Dauer von jeweils 15 Minuten überschritten werden kann.

Art der Exposition: Alveolengängige Fraktion.

TRGS 905

Krebszeugend: Kategorie 2

Abweichung von der Legaleinstufung (Gesundheitsschädlich) gemäß Anhang 1 der RL 67/548/EWG (Kennbuchstaben der Gefahrenbezeichnungen aus der Legaleinstufung).

**8.2. Exposure controls**

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 7 of 14

**Appropriate engineering controls**

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Do not breathe vapour/aerosol.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

goggles

Wear eye protection/face protection.

**Hand protection**

Suitable examples are gloves of KCL GmbH, D-36124 Eichenzell, e-mail: vertrieb@kcl.de with the following specification (test according to EN 374):

By long-term hand contact

Trade name/designation KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with permanent contact: > 480 min

By short-term hand contact

Trade name/designation KCL 741 Dermatril® L

Suitable material: NBR (Nitrile rubber) 0,11 mm

Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

**Skin protection**

Wear suitable protective clothing.

Take off immediately all contaminated clothing.

Wash hands before breaks and after work.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

**Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	like: Acetic acid
Odour threshold:	No data available
Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 8 of 14

Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
pH-Value:	3,2
Viscosity / kinematic:	No data available
Water solubility:	Soluble in: Water
Solubility in other solvents	
No data available	
Dissolution rate:	No data available
Partition coefficient n-octanol/water:	No data available
Dispersion stability:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density:	1,0427 g/cm <sup>3</sup>
Relative density:	No data available
Bulk density:	No data available
Relative vapour density:	No data available
Particle characteristics:	No data available

**9.2. Other information****Information with regard to physical hazard classes**

Explosive properties	
No data available	
Sustained combustibility:	No data available
Self-ignition temperature	
Solid:	No data available
Gas:	No data available

**Oxidizing properties**

No data available

**Other safety characteristics**

Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
Solid content:	0
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
No data available:	
Viscosity / dynamic:	No data available
Flow time:	No data available

**Further Information**

No data available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No data available

**10.2. Chemical stability**

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 9 of 14

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

No data available

**10.4. Conditions to avoid**

No data available

**10.5. Incompatible materials**

No data available

**10.6. Hazardous decomposition products**

In case of fire may be liberated:

in case of fire, see: SECTION 5: Firefighting measures

**Further information**

No data available

**SECTION 11: Toxicological information****11.1. Information on hazard classes****Toxicokinetics, metabolism and distribution**

There are no data available on the mixture itself.

**Acute toxicity**

Toxic if inhaled.

Harmful if swallowed.

Avoid exposure - obtain special instructions before use.

**ATEmix calculated**

ATE (oral) 1984 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) 9,920 mg/l; ATE (inhalation dust/mist) 0,9920 mg/l

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64-19-7	acetic acid					
	oral	LD50 mg/kg	3310 Rat	J Ind Hyg Toxicol, Vol 23, PP 78-82 (194	The sodium salt of acetic acid was admin	
5743-04-4	Cadmium acetate dihydrate					
	oral	ATE mg/kg	500			
	dermal	ATE mg/kg	1100			
	inhalation vapour	ATE	11 mg/l			
	inhalation dust/mist	ATE	1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May cause cancer. (Cadmium acetate dihydrate)

May cause genetic defects. (Cadmium acetate dihydrate)

Reproductive toxicity: Based on available data, the classification criteria are not met.

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 10 of 14

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (Cadmium acetate dihydrate)

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on likely routes of exposure**

There are no data available on the mixture itself.

**Specific effects in experiment on an animal**

There are no data available on the mixture itself.

**Additional information on tests**

There are no data available on the mixture itself.

**Practical experience**

There are no data available on the mixture itself.

**11.2. Information on other hazards****Endocrine disrupting properties**

There are no data available on the mixture itself.

**Other information**

Pulmonary oedema

**Further information**

Cyanosis (blue coloured blood)

Fever

Gastrointestinal complaints

Vomiting

Circulatory collapse

Headache

Spasms

**SECTION 12: Ecological information****12.1. Toxicity**

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

CAS No	Chemical name	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-19-7	acetic acid						
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (2005)	other: SOP E257
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Skeletonema costatum	Study report (2005)	ISO 10253
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1990)	OECD Guideline 202

**12.2. Persistence and degradability**

There are no data available on the mixture itself.

**12.3. Bioaccumulative potential**

There are no data available on the mixture itself.

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 11 of 14

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-19-7	acetic acid	-0,17

**BCF**

CAS No	Chemical name	BCF	Species	Source
64-19-7	acetic acid	3,16	fish	Environ. Toxicol. Ch

**12.4. Mobility in soil**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

There are no data available on the mixture itself.

**Further information**

Do not allow to enter into surface water or drains.

Discharge into the environment must be avoided.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Dispose of waste according to applicable legislation.

Do not allow to enter into surface water or drains.

Send to a hazardous waste incinerator facility under observation of official regulations . Special monitoring requiring wastes.

**Contaminated packaging**

The waste code has to be identified in agreement with the disposal company or the competent authority.

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number or ID number:**

UN 2810

**14.2. UN proper shipping name:**

TOXIC LIQUID, ORGANIC, N.O.S. (Cadmium acetate dihydrate)

**14.3. Transport hazard class(es):**

6.1

**14.4. Packing group:**

II

Hazard label:

6.1

Classification code:

T1

Special Provisions:

274 614

Limited quantity:

100 mL

Excepted quantity:

E4

Transport category:

2

Hazard No:

60

Tunnel restriction code:

D/E

**Inland waterways transport (ADN)****14.1. UN number or ID number:**

UN 2810

**14.2. UN proper shipping name:**

TOXIC LIQUID, ORGANIC, N.O.S. (Cadmium acetate dihydrate)

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 12 of 14

<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Classification code:	T1
Special Provisions:	274 614 802
Limited quantity:	100 mL
Excepted quantity:	E4
<b>Marine transport (IMDG)</b>	
<b>14.1. UN number or ID number:</b>	UN 2810
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, ORGANIC, N.O.S. (Cadmium acetate dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Special Provisions:	274
Limited quantity:	100 mL
Excepted quantity:	E4
EmS:	F-A, S-A
<b>Air transport (ICAO-TI/IATA-DGR)</b>	
<b>14.1. UN number or ID number:</b>	UN 2810
<b>14.2. UN proper shipping name:</b>	TOXIC LIQUID, ORGANIC, N.O.S. (Cadmium acetate dihydrate)
<b>14.3. Transport hazard class(es):</b>	6.1
<b>14.4. Packing group:</b>	II
Hazard label:	6.1
Special Provisions:	A3 A4 A137
Limited quantity Passenger:	1 L
Passenger LQ:	Y641
Excepted quantity:	E4
IATA-packing instructions - Passenger:	654
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	662
IATA-max. quantity - Cargo:	60 L
<b>14.5. Environmental hazards</b>	
ENVIRONMENTALLY HAZARDOUS:	Yes
Danger releasing substance:	Cadmium acetate dihydrate

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 23, Entry 40, Entry 75

Information according to Directive

H2 ACUTE TOXIC

2012/18/EU (SEVESO III):

E1

Additional information:

**National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of child-bearing age.

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 13 of 14

Water hazard class (D): 3 - highly hazardous to water

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,9,12,13.

**Abbreviations and acronyms**

Flam. Liq. 3: Flammable liquids, hazard category 3  
Acute Tox. 3: Acute toxicity, hazard category 3  
Acute Tox. 4: Acute toxicity, hazard category 4  
Skin Corr. 1A: Skin corrosion, sub-category 1A  
Eye Dam. 1: Serious eye damage, hazard category 1  
Muta. 1B: Germ cell mutagenicity, hazard category 1B  
Carc. 1A: Carcinogenicity, hazard category 1A  
Carc. 1B: Carcinogenicity, hazard category 1B  
STOT RE 1: Specific target organ toxicity - repeated exposure, hazard category 1  
STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2  
Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1  
Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

**Classification for mixtures and used evaluation method**

Classification	Classification procedure
Carc. 1B; H350	Calculation method
Muta. 1B; H340	Calculation method
Acute Tox. 3; H331	Calculation method
Acute Tox. 4; H302	Calculation method
STOT RE 2; H373	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 1; H410	Calculation method

**Relevant H and EUH statements (number and full text)**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.  
H332 Harmful if inhaled.  
H340 May cause genetic defects.  
H350 May cause cancer.  
H372 Causes damage to organs through prolonged or repeated exposure.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

**Further Information**

Provide appropriate information, instructions and training to users

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

**Cadmium acetate 5% in Acetic acid 5% sol**

Revision: 10.07.2024

Product code: AC15.02396

Page 14 of 14

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*