

according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

UFI: 2KED-70JU-V00J-K8HX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagents and laboratory chemicals

Only for laboratory and analysis purposes.

Uses advised against

Do not use for private purposes (household).

1.3. Details of the supplier of the safety data sheet

Details of the supplier of the safety data sheet

Company name: AnalytiChem Services, Unipessoal, Lda

Rua de Júlio Dinis 676 7º Street: P-4050-320 Porto Place: +351 226002917 Telephone: E-mail: info@analytichem.com SDS service department Contact person: SDS@analytichem.com E-mail: www.analytichem.com Internet: Responsible Department: SDS service department

Supplier or manufacturer details

Company name: AnalytiChem GmbH Street: Stempelstraße 6 Place: D-47167 Duisburg Telephone: 0203/5194-0

E-mail: info@analytichem.de
Contact person: SDS service department
E-mail: SDS@analytichem.com

Responsible Department: AnalytiChem:

EU-Belgium: AnalytiChem Belgium, Industriezone "De Arend" 2, 8210 Zedelgem,

Telefax: 0203/5194-290

Print date: 03.10.2025

Belgium, +32 50 28 83 20

www.analytichem.de

EU-Germany: AnalytiChem Germany, Stempelstrasse 6, 47167 Duisburg,

Germany, +49 203 51 94 - 200

EU-Netherlands: AnalytiChem Netherlands, Communicatieweg 7, 3641 SG

Mijdrecht, The Netherlands, +31 297 286848

UK: AnalytiChem UK, Unit 7 Launton Business Center, Murdock Road, Bicester,

OX26 4XB, England, +44 1869 355 500

USA: AnalytiChem USA, 227 China Road, Winslow, Maine, 04901, United States,

+1 800-244-8378

Canada: AnalytiChem Canada, 21800 Clark Graham Avenue, Baie d'Urfe, H9X

4B6, Canada, +1 514-457-0701

+353 1 901 4670 (CHEMTREC)

Australia: ORE Research & Exploration Pty Ltd, 37A Hosie Street, Bayswater

North, 3153, Australia, +61 3 9729 0333

IRI - en

1.4. Emergency telephone

number:

Internet:



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 2 of 15

Further Information

This product is a mixture. REACH Registration Number see section 3.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290 Carc. 1B; H350i

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

cobalt dichloride

Signal word: Danger

Pictograms:





Hazard statements

H290 May be corrosive to metals.
H350i May cause cancer by inhalation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P390 Absorb spillage to prevent material damage.

Special labelling of certain mixtures

EUH208 Contains Iron(III) chloride hexahydrate. May produce an allergic reaction.

Restricted to professional users.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixtures in aqueous solution



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 3 of 15

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) N	o 1272/2008)	·		
10025-77-1	Iron(III) chloride hexahydrate			< 1 %	
	231-729-4		01-2119497998-05		
	Acute Tox. 4, Skin Irrit. 2, Eye Da	3 H317			
7758-99-8	copper sulphate pentahydrate		< 0.1 %		
	231-847-6	029-023-00-4	01-2119520566-40		
	Acute Tox. 4, Skin Irrit. 2, Eye Da H410				
7646-79-9	cobalt dichloride			< 0.1 %	
	231-589-4	027-004-00-5			
	Carc. 1B, Muta. 2, Repr. 1B, Acur Chronic 1; H350i H341 H360F H3	e Tox. 4, Resp. Sens. 1, Skin Sens. 302 H334 H317 H400 H410	1, Aquatic Acute 1, Aquatic		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
10025-77-1	231-729-4	Iron(III) chloride hexahydrate	< 1 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 500 mg/kg	
7758-99-8	231-847-6	copper sulphate pentahydrate	< 0.1 %
	l l	= > 2000 mg/kg; oral: ATE 481 mg/kg Aquatic Acute 1; H400: M=10 c 1; H410: M=1	
7646-79-9	231-589-4	cobalt dichloride	< 0.1 %
	Aquatic Acute	= > 2000 mg/kg; oral: LD50 = 537 mg/kg	

Further Information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: cobalt dichloride

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No data available

After inhalation

Provide fresh air.

Call a physician immediately.

After contact with skin

Wash immediately with: Water

Take off immediately all contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 4 of 15

Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Rinse mouth immediately and drink plenty of water.

Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Irritant

Allergic reactions

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

no restriction

5.2. Special hazards arising from the substance or mixture

Non-combustible liquids

Hazardous combustion products

In case of fire may be liberated:

Hydrochloric gas

Metal oxide smoke, toxic

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Avoid contact with skin, eyes and clothes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Corrosive to metals.

For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Precautionary statements For emergency responders: Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 5 of 15

For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Read label before use. Handle and open container with care.

When using do not eat, drink, smoke, sniff. Keep container tightly closed.

Use personal protection equipment. Use extractor hood (laboratory).

Provide adequate ventilation.

Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

Further information on handling

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Store in a place accessible by authorized persons only.

Hints on joint storage

national regulations

Further information on storage conditions

Unsuitable container/equipment material: Metal

7.3. Specific end use(s)

Laboratory chemicals



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 6 of 15

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
10025-77-1	Iron(III) chloride hexahydrate			
Worker DNEL	., long-term	dermal	systemic	2,8 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	1,4 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,28 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	20 mg/kg bw/day
7646-79-9	7646-79-9 cobalt dichloride			
Consumer DNEL, long-term		oral	systemic	0,12 mg/kg bw/day

PNEC values

CAS No	Substance		
Environmental	Environmental compartment		
7758-99-8	copper sulphate pentahydrate		
Freshwater		0,0078 mg/l	
Marine water		0,0052 mg/l	
Freshwater sed	liment	87 mg/kg	
Marine sediment		676 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l	
Soil		65 mg/kg	
7646-79-9	cobalt dichloride		
Freshwater		0,0006 mg/l	
Marine water		0,00236 mg/l	
Freshwater sediment		9,5 mg/kg	
Marine sediment		9,5 mg/kg	
Micro-organisms in sewage treatment plants (STP)		0,37 mg/l	
Soil 10,9		10,9 mg/kg	

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: Face protection shield goggles.



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 7 of 15

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves are recommended Company KCL GmbH, D-36124 Eichenzell, email: vertrieb@kcl.de With specification (test according to EN374):

By long-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with permanent contact: > 480 min

By short-term hand contact

Recommended glove articles: KCL 741 Dermatril® L Recommended material: NBR (Nitrile rubber) 0,11 mm Wearing time with occasional contact (splashes): > 480 min

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types. This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Skin protection

Wear suitable protective clothing.

Protective clothing acid-resistant

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Thermal hazards

No data available

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Liquid

orange

odourless

No data available

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability: not applicable Lower explosion limits: No data available Upper explosion limits: No data available



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 8 of 15

Flash point: X
Auto-ignition temperature: No data available

Auto-ignition temperature:

Decomposition temperature:

No data available

No data available

pH-Value: 0,9

Viscosity / kinematic:

Water solubility:

No data available easily soluble

Solubility in other solvents

not determined

No data available Dissolution rate: Partition coefficient n-octanol/water: No data available No data available Dispersion stability: No data available Vapour pressure: Vapour pressure: No data available 1,0207 g/cm³ Density: No data available Relative density: No data available Bulk density: No data available Relative vapour density: No data available Particle characteristics:

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Sustained combustibility:

No data available

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Solvent separation test:

No data available
Solvent content:

No data available
Solid content:

No data available
Sublimation point:

No data available
Softening point:

No data available
Pour point:

No data available

No data available:

Viscosity / dynamic:

Flow time:

No data available

No data available

Further Information

Corrosive to metals

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Print date: 03.10.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 9 of 15

The product develops hydrogen in an aqueous solution in contact with metals.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

Keep away from: Metal.

The product develops hydrogen in an aqueous solution in contact with metals.

10.6. Hazardous decomposition products

In case of fire may be liberated: SECTION 5: Firefighting measures

Further information

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
10025-77-1	Iron(III) chloride hexahyd	rate					
	oral	LD50 mg/kg	500	Rat	Study report (2004)	OECD Guideline 423	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2004)	OECD Guideline 402	
7758-99-8	copper sulphate pentahydrate						
	oral	ATE 481 m	ıg/kg				
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1993)	OECD Guideline 402	
7646-79-9	cobalt dichloride						
	oral	LD50 mg/kg	537	Rat	Revista Española de Fisiologia, 39: 291	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2007)	OECD Guideline 402	

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

slightly irritant but not relevant for classification.

Sensitising effects

Based on available data, the classification criteria are not met.

Contains Iron(III) chloride hexahydrate. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Print date: 03.10.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 10 of 15

May cause cancer by inhalation. (cobalt dichloride)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

There are no data available on the mixture itself.

Specific effects in experiment on an animal

There are no data available on the mixture itself.

Additional information on tests

There are no data available on the mixture itself.

Practical experience

There are no data available on the mixture itself.

11.2. Information on other hazards

Endocrine disrupting properties

There are no data available on the mixture itself.

Other information

There are no data available on the mixture itself.

Further information

Irritant

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 11 of 15

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
7758-99-8	copper sulphate pentahydrate						
	Acute fish toxicity	LC50 mg/l	0,193	96 h	Pimephales promelas	Study report (1996)	measurements were conducted by standard
	Acute algae toxicity	ErC50 mg/l	0,152	72 h	Pseudokirchneriella subcapitata	Publication (2005)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,007	48 h	Daphnia magna	Study report (1978)	- Test were conducted on Daphnia magna t
	Fish toxicity	NOEC mg/l	0,123	12 d	Atherinops affinis	Mar. Environ. Res. 31: 17-35 (1991)	Three tests are reported, designed to de
	Algae toxicity	NOEC mg/l	0,0102	19 d	other aquatic plant: giant kelp Macrocystis pyrife	Mar. Ecol. Prog. Ser. 68: 147 - 156 (199	Tests were conducted to determine the ef
	Crustacea toxicity	NOEC mg/l	0,033	14 d	Penaeus mergulensis and Penaeus monodon	Bull. Environ. Contain. Toxicol. (1995)	The effects of dissolved copper on the g
7646-79-9	cobalt dichloride						
	Acute fish toxicity	LC50 mg/l	54,1	96 h	Pimephales promelas	Study report (2009)	other: ASTM guideline
	Acute algae toxicity	ErC50 mg/l	71,314	96 h	Dunaliella tertiolecta	Study report (2010)	other: American Society for Testing and
	Acute crustacea toxicity	EC50 mg/l	42,7	48 h	Aeolosoma sp.	Study report (2008)	Newman, J.P., Jr. 1975. The effects of h
	Fish toxicity	NOEC mg/l	0,21	34 d	Pimephales promelas	Study report (2009)	other: This study was conducted accordin
	Algae toxicity	NOEC mg/l	0,0018	7 d	Champia parvula	Study report - model refit from original	other: EPA 821-R- 02-014, Method 1009.0
	Crustacea toxicity	NOEC mg/l	0,1697	14 d	Aeolosoma sp.	Study report (2008)	other: Newman, J.P., Jr. 1975. The effec
	Acute bacteria toxicity	EC50	120 mg/l	0,5 h	Activated sludge	Study report (2010)	OECD Guideline 209

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 12 of 15

BCF

CAS No	Chemical name	BCF	Species	Source
10025-77-1	Iron(III) chloride hexahydrate	48	Fish, Oreochromis	Indian Journal of En
			mossambicus	
7758-99-8	copper sulphate pentahydrate	0,02 - 20	Crangon crangon	Symp. Biologica. Hun
7646-79-9	cobalt dichloride	23	Asterias rubens	Marine Pollution Bul

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Discharge into the environment must be avoided.

Harmful effect due to pH shift.

Forms corrosive mixtures with water even if diluted.

Further information

Do not empty into drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Send to a physico-chemical treatment facility under observation of official regulations.

Do not empty into drains.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1789
-------------------------------	---------

14.2. UN proper shipping name: HYDROCHLORIC ACID

8 14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 8 C1 Classification code: **Special Provisions:** 520 Limited quantity: 5 I E1 Excepted quantity: Transport category: 3 Hazard No: 80 F Tunnel restriction code:

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1789



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 13 of 15

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 C1 Classification code: 520 Special Provisions: 5 L Limited quantity: E1 Excepted quantity:

Marine transport (IMDG)

14.1. UN number or ID number: UN 1789

14.2. UN proper shipping name: HYDROCHLORIC ACID

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 Special Provisions: 223 5 L Limited quantity: E1 Excepted quantity: F-A. S-B EmS:

Air transport (ICAO-TI/IATA-DGR)

UN 1789 14.1. UN number or ID number:

HYDROCHLORIC ACID 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 8 A3 A803 **Special Provisions:** Limited quantity Passenger: 1 L Y841 Passenger LQ: E1

852 IATA-packing instructions - Passenger: 5 L IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: 856 60 L IATA-max. quantity - Cargo:

14.5. Environmental hazards

Excepted quantity:

ENVIRONMENTALLY HAZARDOUS: No

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

cobalt dichloride

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 75

Information according to Directive

Not subject to 2012/18/EU (SEVESO III)

2012/18/EU (SEVESO III):

National regulatory information



according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 14 of 15

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 2 - obviously hazardous to water

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,9,12.

Abbreviations and acronyms

Met. Corr. 1: Corrosive to metals, hazard category 1 Acute Tox. 4: Acute toxicity, hazard category 4

Skin Irrit. 2: Skin irritation, hazard category 2

Eye Dam. 1: Serious eye damage, hazard category 1 Resp. Sens. 1: Respiratory sensitisation, hazard category 1

Skin Sens. 1: Skin sensitisation, hazard category 1 Muta. 2: Germ cell mutagenicity, hazard category 2 Carc. 1B: Carcinogenicity, hazard category 1B Repr. 1B: Reproductive toxicity, hazard category 1B

Aguatic Acute 1: Hazardous to the aguatic environment, hazard category: Acute 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Carc. 1B; H350i	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Print date: 03.10.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Colour mixture solution for analysis of liquid paraffin (paraffinum liquidum) readily carbonisable

Revision: 07.02.2025 Product code: AC15.03601 Page 15 of 15

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Iron(III) chloride hexahydrate. May produce an allergic reaction.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Provide appropriate information, instructions and training to users

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)