



**Safety Data Sheet**

according to WHMIS

**Conostan Single-Element Standard,Lead 5000 ppm (Pb)**

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 2 of 10

**2. Hazard identification**

**Classification of the substance or mixture**

**WHMIS 2015**

Reproductive toxicity: Category 1A

Aspiration hazard: Category 1

**Label elements**

**WHMIS 2015**

**Signal word:**

Danger

**Pictograms:**



**Hazard statements**

May be fatal if swallowed and enters airways.

May damage fertility or the unborn child.

**Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do NOT induce vomiting.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container to an appropriate recycling or disposal facility.

**Other hazards**

No data available

**3. Composition/information on ingredients**

**Mixtures**

**Relevant ingredients**

CAS No	Chemical name	Quantity
8042-47-5	White mineral oil, petroleum	80 - 100 % (*)
-	Lead compounds	0.1 - < 1 % (*)

(\*) The actual concentration is withheld as a trade secret.

**Further Information**

No data available

**4. First-aid measures**

**Description of first aid measures**

**General information**

First aider: Pay attention to self-protection!

**After inhalation**

Provide fresh air.

Call a physician immediately.

## Safety Data Sheet

according to WHMIS

### Conostan Single-Element Standard, Lead 5000 ppm (Pb)

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 3 of 10

#### After contact with skin

Wash immediately with: Water, Soap  
 Take off immediately all contaminated clothing and wash it before reuse.  
 Call a physician immediately.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.  
 In case of eye irritation consult an ophthalmologist.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 Protect uninjured eye.

#### After ingestion

Do NOT induce vomiting.  
 Observe risk of aspiration if vomiting occurs.  
 Call a physician immediately.

#### Most important symptoms and effects, whether acute or delayed

Gastrointestinal complaints  
 Pneumonia  
 Vapours may cause drowsiness and dizziness.  
 Dizziness  
 Depression of central nervous system  
 Headache

#### Indication of immediate medical attention and special treatment needed

No data available

## 5. Fire-fighting measures

#### Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

no restriction

#### Specific hazards arising from the hazardous product

Combustible liquids  
 Hazardous combustion products  
 In case of fire may be liberated:  
 Carbon dioxide (CO<sub>2</sub>)  
 Carbon monoxide  
 Metal oxide smoke, toxic  
 In case of warming:  
 Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.  
 In case of fire and/or explosion do not breathe fumes.  
 Avoid contact with skin, eyes and clothes.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
 Use water spray jet to protect personnel and to cool endangered containers.  
 Move undamaged containers from immediate hazard area if it can be done safely.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

## Safety Data Sheet

according to WHMIS

### Conostan Single-Element Standard, Lead 5000 ppm (Pb)

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 4 of 10

#### General advice

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Take precautionary measures against static discharges.

#### For non-emergency personnel

Provide adequate ventilation.

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

Remove persons to safety.

Emergency procedures

Consult an expert

Do not breathe dust/fume/gas/mist/vapours/spray.

#### For emergency responders

Precautionary statements For emergency responders : Personal protection equipment: see section 8

#### Environmental precautions

Do not allow to enter into surface water or drains.

#### Methods and material for containment and cleaning up

##### For containment

Cover drains.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Collect in closed and suitable containers for disposal.

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

##### For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

##### Other information

Provide adequate ventilation.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## 7. Handling and storage

#### Precautions for safe handling

##### Advice on safe handling

Read label before use.

Handle and open container with care.

When using do not eat, drink, smoke, sniff.

Keep container tightly closed.

Use personal protection equipment.

Do not breathe vapour/aerosol.

Use extractor hood (laboratory).

Provide adequate ventilation.

##### Advice on protection against fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharges.

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## Safety Data Sheet

according to WHMIS

### Conostan Single-Element Standard, Lead 5000 ppm (Pb)

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 5 of 10

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

The choice of body protection depends on the concentration and quantity of hazardous substances. The chemical resistance of protective agents must be clarified with their suppliers.

#### Further information on handling

Take off immediately all contaminated clothing and wash it before reuse.

Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary.

#### Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Store in a well-ventilated place.

Keep container tightly closed.

##### Hints on joint storage

National regulatory information

##### Further information on storage conditions

Keep cool. Protect from sunlight.

Store in a place accessible by authorized persons only.

## 8. Exposure controls/Personal protection

#### Control parameters

##### Exposure limits (ACGIH)

CAS No	Chemical name	ppm	mg/m <sup>3</sup>	Category	Origin
-	Mineral oil, excluding metal working fluids (inhalable fraction); Pure, highly and severely refined		5	TWA (8 h)	ACGIH-2025

#### Exposure controls

##### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

If handled uncovered, arrangements with local exhaust ventilation have to be used.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

goggles

Face protection umbrella

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Take off immediately all contaminated clothing and wash it before reuse.

Wash hands and face before breaks and after work and take a shower if necessary.

Draw up and observe skin protection programme.

##### Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are

## Safety Data Sheet

according to WHMIS

### Conostan Single-Element Standard, Lead 5000 ppm (Pb)

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 6 of 10

carried out according to the instructions of the producer. These measures have to be properly documented.

#### Thermal hazards

No data available

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	clear	
Odour:	like: Hydrocarbons	
Odour threshold:	No data available	
Melting point/freezing point:		No data available
Boiling point or initial boiling point and boiling range:	218-800 (424.4-1472 °F) °C	
Flammability:		No data available
Lower explosive limits:		No data available
Upper explosive limits:		No data available
Flash point:		No data available
Auto-ignition temperature:		No data available
Decomposition temperature:		No data available
pH-Value:		No data available
Viscosity / kinematic:		~20 mm <sup>2</sup> /s
Water solubility:		No data available
Solubility in other solvents		No data available
Dissolution rate:		No data available
Partition coefficient n-octanol/water:		No data available
Dispersion stability:		No data available
Vapour pressure:		No data available
Density:		No data available
Relative density:		No data available
Bulk density:		No data available
Relative vapour density:		No data available
Particle characteristics:		No data available

### Other information

#### Information with regard to physical hazard classes

##### Explosive properties

In case of warming:

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

##### Sustained combustibility:

No data available

##### Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### Oxidizing properties

No data available

#### Other safety characteristics

##### Evaporation rate:

No data available

##### Solvent separation test:

No data available

**Safety Data Sheet**

according to WHMIS

**Conostan Single-Element Standard, Lead 5000 ppm (Pb)**

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 7 of 10

Solvent content:	No data available
Solid content:	No data available
Sublimation point:	No data available
Softening point:	No data available
Pour point:	No data available
Viscosity / dynamic:	No data available
Flow time:	No data available

**Further Information**

No data available

**10. Stability and reactivity**

**Reactivity**

In case of warming:  
Vapours may form explosive mixtures with air.

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Oxidising agent

**Conditions to avoid**

Heat  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Incompatible materials**

No data available

**Hazardous decomposition products**

in case of fire, see:  
SECTION 5: Firefighting measures

**Further information**

No data available

**11. Toxicological information**

**Information on toxicological effects**

**Toxicokinetics, metabolism and distribution**

No data available

**Acute toxicity**

Based on available data, the classification criteria are not met.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Safety Data Sheet**

according to WHMIS

**Conostan Single-Element Standard, Lead 5000 ppm (Pb)**

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 8 of 10

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
8042-47-5	White mineral oil, petroleum				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1987)	OECD Guideline 402
-	Lead compounds				
	oral	ATE 500 mg/kg			
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

May damage fertility or the unborn child. (Lead compounds)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

May be fatal if swallowed and enters airways.

**Information on likely routes of exposure**

No data available

**Specific effects in experiment on an animal**

No data available

**Additional information on tests**

No data available

**Practical experience**

No data available

**Information on other hazards**
**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other information**

No data available

**Further information**

Gastrointestinal complaints

Pneumonia

Vapours may cause drowsiness and dizziness.

Dizziness

Depression of central nervous system

## Safety Data Sheet

according to WHMIS

### Conostan Single-Element Standard,Lead 5000 ppm (Pb)

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 9 of 10

Headache

#### 12. Ecological information

##### Persistence and degradability

No data available

##### Bioaccumulative potential

No data available

##### Mobility in soil

No data available

##### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

##### Other adverse effects

Do not allow to enter into surface water or drains.

##### Further information

Avoid release to the environment.

#### 13. Disposal considerations

##### Waste treatment methods

###### **Disposal recommendations**

Send to a physico-chemical treatment facility under observation of official regulations.

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

Do not allow to enter into surface water or drains.

###### **Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

#### 14. Transport information

##### Canadian TDG

###### Proper shipping name:

No dangerous good in sense of this transport regulation.

##### Marine transport (IMDG)

###### UN number or ID number:

No dangerous good in sense of this transport regulation.

###### United Nations proper shipping

###### name:

No dangerous good in sense of this transport regulation.

###### Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### Packing group:

No dangerous good in sense of this transport regulation.

##### Air transport (ICAO-TI/IATA-DGR)

###### UN number or ID number:

No dangerous good in sense of this transport regulation.

###### United Nations proper shipping

###### name:

No dangerous good in sense of this transport regulation.

###### Transport hazard class(es):

No dangerous good in sense of this transport regulation.

###### Packing group:

No dangerous good in sense of this transport regulation.

#### 15. Regulatory information

##### Canadian regulations

#### 16. Other information

##### Changes

**Safety Data Sheet**

according to WHMIS

**Conostan Single-Element Standard, Lead 5000 ppm (Pb)**

Date (latest revision): 25.02.2026

Product code: AC18.05893

Page 10 of 10

This data sheet contains changes from the previous version in section(s): 2,4,5,7.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Provide appropriate information, instructions and training to users

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*